

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014015.D
 Acq On : 11 Dec 2019 16:16
 Operator : SY/MD
 Sample : K6200-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF27

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.319	65	71	81	rVB	258477	254472	12.00%	1.750%
2	1.566	143	148	158	rVB	248092	283645	13.37%	1.951%
3	2.122	314	321	334	rVB	477152	661439	31.18%	4.549%
4	2.878	554	556	558	rBV2	1390	866	0.04%	0.006%
5	3.209	657	659	662	rBV4	1648	1217	0.06%	0.008%
6	3.257	673	674	675	rBV	1538	488	0.02%	0.003%
7	3.296	685	686	689	rVB3	1108	391	0.02%	0.003%
8	3.312	689	691	692	rBV2	1583	702	0.03%	0.005%
9	3.418	720	724	726	rBV3	1548	1175	0.06%	0.008%
10	3.762	829	831	832	rBV2	864	485	0.02%	0.003%
11	3.807	843	845	847	rBV3	821	427	0.02%	0.003%
12	3.923	871	881	907	rBV	163485	435843	20.55%	2.998%
13	4.392	1012	1027	1051	rBV	347990	859012	40.50%	5.908%
14	5.090	1227	1244	1272	rBV2	839500	2121044	100.00%	14.588%
15	5.659	1407	1421	1442	rBV	676161	1347246	63.52%	9.266%
16	6.113	1550	1562	1585	rVB	484232	966636	45.57%	6.648%
17	7.026	1836	1846	1868	rVB	239525	424585	20.02%	2.920%
18	7.357	1937	1949	1969	rBV	862578	1490706	70.28%	10.253%
19	7.659	2032	2043	2058	rBV2	153654	263827	12.44%	1.815%
20	8.129	2178	2189	2218	rBV3	412849	889710	41.95%	6.119%
21	8.772	2387	2389	2395	rVB6	1392	1243	0.06%	0.009%
22	8.797	2395	2397	2401	rBV5	975	680	0.03%	0.005%
23	8.823	2403	2405	2407	rBV3	1162	578	0.03%	0.004%
24	8.891	2414	2426	2452	rBV	897777	1459585	68.81%	10.039%
25	9.106	2491	2493	2495	rBV2	1031	387	0.02%	0.003%
26	9.222	2527	2529	2534	rBV6	1415	1047	0.05%	0.007%
27	9.299	2551	2553	2556	rVB3	904	515	0.02%	0.004%
28	9.389	2579	2581	2584	rBV3	1356	669	0.03%	0.005%
29	9.434	2591	2595	2597	rBV4	1167	841	0.04%	0.006%
30	9.563	2631	2635	2638	rBV3	1081	776	0.04%	0.005%
31	9.579	2638	2640	2644	rBV4	1820	1439	0.07%	0.010%
32	9.624	2651	2654	2655	rBV3	1028	542	0.03%	0.004%
33	9.682	2670	2672	2676	rVB3	1440	819	0.04%	0.006%
34	9.704	2676	2679	2680	rBV2	583	343	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014015.D
 Acq On : 11 Dec 2019 16:16
 Operator : SY/MD
 Sample : K6200-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF27

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

35	9.730	2685	2687	2692	rBV4	1241	808	0.04%	0.006%
36	9.752	2692	2694	2695	rBV2	1018	480	0.02%	0.003%
37	9.813	2711	2713	2714	rBV2	940	474	0.02%	0.003%
38	9.855	2722	2726	2730	rBV7	1491	1280	0.06%	0.009%
39	9.919	2742	2746	2750	rVB6	1517	1440	0.07%	0.010%
40	9.939	2750	2752	2753	rBV	638	232	0.01%	0.002%
41	9.948	2753	2755	2759	rBV5	1161	841	0.04%	0.006%
42	10.058	2787	2789	2792	rBV4	875	565	0.03%	0.004%
43	10.074	2792	2794	2796	rVB	990	358	0.02%	0.002%
44	10.093	2796	2800	2804	rBV5	803	1007	0.05%	0.007%
45	10.138	2812	2814	2820	rVB5	1052	873	0.04%	0.006%
46	10.167	2821	2823	2828	rVB5	1521	997	0.05%	0.007%
47	10.193	2828	2831	2832	rBV2	845	470	0.02%	0.003%
48	10.254	2838	2850	2870	rBV	539044	844797	39.83%	5.810%
49	10.421	2894	2902	2907	rBV9	2950	4283	0.20%	0.029%
50	10.469	2915	2917	2920	rBV4	935	577	0.03%	0.004%
51	10.579	2945	2951	2955	rBV7	2170	2423	0.11%	0.017%
52	10.614	2959	2962	2966	rBV3	1377	891	0.04%	0.006%
53	10.649	2971	2973	2975	rBV3	504	223	0.01%	0.002%
54	10.707	2989	2991	2994	rVB3	1021	445	0.02%	0.003%
55	10.736	2997	3000	3003	rVB4	1335	772	0.04%	0.005%
56	10.765	3007	3009	3011	rVB3	923	400	0.02%	0.003%
57	10.784	3011	3015	3018	rVB3	1297	978	0.05%	0.007%
58	10.800	3018	3020	3021	rBV3	1188	380	0.02%	0.003%
59	10.829	3026	3029	3033	rVB4	1419	856	0.04%	0.006%
60	10.874	3039	3043	3046	rVB4	836	672	0.03%	0.005%
61	10.897	3046	3050	3051	rBV4	1854	1091	0.05%	0.008%
62	10.919	3055	3057	3059	rBV	783	441	0.02%	0.003%
63	10.936	3059	3062	3065	rBV	1259	848	0.04%	0.006%
64	10.971	3065	3073	3078	rBV9	1684	2236	0.11%	0.015%
65	11.051	3094	3098	3099	rBV3	966	598	0.03%	0.004%
66	11.100	3112	3113	3116	rBV3	544	186	0.01%	0.001%
67	11.138	3123	3125	3127	rVB3	659	183	0.01%	0.001%
68	11.164	3129	3133	3138	rBV5	1095	1067	0.05%	0.007%
69	11.193	3138	3142	3144	rBV4	1367	1013	0.05%	0.007%
70	11.289	3159	3172	3193	rBV	673097	1064724	50.20%	7.323%
71	11.669	3278	3290	3311	rBV	705558	1106612	52.17%	7.611%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014015.D
 Acq On : 11 Dec 2019 16:16
 Operator : SY/MD
 Sample : K6200-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF27

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

72	11.997	3390	3392	3394	rVB3	1022	397	0.02%	0.003%
73	12.048	3405	3408	3409	rBV3	1024	502	0.02%	0.003%
74	12.090	3417	3421	3422	rBV4	1174	703	0.03%	0.005%
75	12.099	3422	3424	3426	rBV2	954	540	0.03%	0.004%
76	12.257	3471	3473	3474	rBV2	707	280	0.01%	0.002%
77	12.292	3480	3484	3487	rBV4	1490	1058	0.05%	0.007%
78	12.370	3504	3508	3512	rBV6	1687	1627	0.08%	0.011%
79	12.415	3518	3522	3524	rBV3	1422	876	0.04%	0.006%
80	12.472	3538	3540	3542	rBV2	1159	644	0.03%	0.004%
81	12.569	3566	3570	3571	rBV3	1206	743	0.04%	0.005%
82	12.620	3580	3586	3590	rBV4	1022	981	0.05%	0.007%
83	12.797	3639	3641	3642	rBV2	708	287	0.01%	0.002%
84	12.845	3653	3656	3660	rBV5	1109	886	0.04%	0.006%
85	12.926	3679	3681	3682	rBV	793	343	0.02%	0.002%
86	12.977	3692	3697	3705	rVB8	2472	2638	0.12%	0.018%
87	13.032	3713	3714	3715	rBV	592	171	0.01%	0.001%
88	13.164	3753	3755	3756	rBV2	623	234	0.01%	0.002%
89	13.244	3777	3780	3781	rBV2	1035	608	0.03%	0.004%
90	13.315	3800	3802	3805	rBV3	1216	911	0.04%	0.006%
91	13.360	3814	3816	3818	rBV2	1026	409	0.02%	0.003%
92	13.389	3823	3825	3828	rVB2	1370	577	0.03%	0.004%
93	13.405	3828	3830	3834	rBV4	1178	846	0.04%	0.006%
94	13.627	3895	3899	3902	rBV5	1799	1542	0.07%	0.011%
95	13.755	3936	3939	3942	rBV5	1550	896	0.04%	0.006%
96	13.771	3942	3944	3946	rBV2	1270	723	0.03%	0.005%
97	13.906	3984	3986	3988	rVB2	855	299	0.01%	0.002%

Sum of corrected areas: 14539622

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121119\
Data File : VV014015.D
Acq On : 11 Dec 2019 16:16
Operator : SY/MD
Sample : K6200-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF27

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121119\
Data File : VV014015.D
Acq On : 11 Dec 2019 16:16
Operator : SY/MD
Sample : K6200-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF27

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc