

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014019.D
 Acq On : 11 Dec 2019 18:43
 Operator : SY/MD
 Sample : K6308-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0C32

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	65	70	83	rVB	309388	306641	11.86%	1.627%
2	1.566	142	148	159	rVB	315731	368063	14.24%	1.953%
3	2.122	313	321	335	rVB	600093	841667	32.57%	4.466%
4	2.412	409	411	412	rBV2	1784	724	0.03%	0.004%
5	2.508	439	441	442	rBV2	1518	700	0.03%	0.004%
6	2.627	476	478	479	rBV2	2426	913	0.04%	0.005%
7	2.820	537	538	540	rBV2	1317	423	0.02%	0.002%
8	2.859	544	550	553	rBV5	1783	1783	0.07%	0.009%
9	2.875	553	555	557	rBV	1438	722	0.03%	0.004%
10	2.897	561	562	564	rBV2	1193	457	0.02%	0.002%
11	2.984	586	589	591	rBV3	1199	701	0.03%	0.004%
12	3.039	604	606	611	rVB3	1110	631	0.02%	0.003%
13	3.100	623	625	627	rBV3	1218	583	0.02%	0.003%
14	3.126	631	633	637	rVB3	1210	746	0.03%	0.004%
15	3.151	638	641	644	rBV4	1658	802	0.03%	0.004%
16	3.190	648	653	654	rBV4	1683	1128	0.04%	0.006%
17	3.219	658	662	664	rBV3	633	414	0.02%	0.002%
18	3.229	664	665	667	rBV2	1061	483	0.02%	0.003%
19	3.277	678	680	682	rBV3	928	459	0.02%	0.002%
20	3.344	699	701	702	rBV2	563	294	0.01%	0.002%
21	3.376	709	711	716	rVB5	1758	1099	0.04%	0.006%
22	3.399	716	718	722	rVV4	1856	794	0.03%	0.004%
23	3.415	722	723	728	rVB4	1139	782	0.03%	0.004%
24	3.463	734	738	739	rBV3	786	557	0.02%	0.003%
25	3.492	744	747	748	rBV3	1452	622	0.02%	0.003%
26	3.537	759	761	764	rBV3	1690	1010	0.04%	0.005%
27	3.630	787	790	794	rVB3	1145	824	0.03%	0.004%
28	3.650	794	796	797	rBV2	375	169	0.01%	0.001%
29	3.659	797	799	802	rBV4	1554	902	0.03%	0.005%
30	3.688	806	808	811	rBV4	1126	679	0.03%	0.004%
31	3.708	811	814	815	rBV2	1010	507	0.02%	0.003%
32	3.737	821	823	825	rBV3	1037	654	0.03%	0.003%
33	3.769	830	833	835	rBV4	1464	733	0.03%	0.004%
34	3.778	835	836	838	rBV2	650	278	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014019.D
 Acq On : 11 Dec 2019 18:43
 Operator : SY/MD
 Sample : K6308-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0C32

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

35	3.794	838	841	843	rBV4	2055	1311	0.05%	0.007%
36	3.843	852	856	857	rBV3	1243	758	0.03%	0.004%
37	3.859	859	861	863	rBV2	1154	758	0.03%	0.004%
38	3.920	870	880	910	rBV	187619	496561	19.21%	2.635%
39	4.296	993	997	1001	rBV6	1646	1373	0.05%	0.007%
40	4.396	1007	1028	1053	rBV	421560	1028140	39.78%	5.456%
41	4.627	1098	1100	1103	rBV4	1767	770	0.03%	0.004%
42	4.862	1171	1173	1174	rBV2	815	419	0.02%	0.002%
43	4.900	1183	1185	1186	rBV2	1058	452	0.02%	0.002%
44	4.933	1192	1195	1198	rBV4	1142	992	0.04%	0.005%
45	4.971	1205	1207	1208	rBV2	1043	457	0.02%	0.002%
46	5.026	1222	1224	1225	rBV2	1065	455	0.02%	0.002%
47	5.090	1225	1244	1266	rBV2	1029517	2584528	100.00%	13.715%
48	5.659	1406	1421	1444	rBV	852238	1701085	65.82%	9.027%
49	6.113	1549	1562	1588	rBV	589645	1182336	45.75%	6.274%
50	6.868	1795	1797	1802	rBV4	2228	1414	0.05%	0.008%
51	7.026	1834	1846	1862	rBV	295858	525957	20.35%	2.791%
52	7.354	1936	1948	1967	rBV	1170022	2015102	77.97%	10.693%
53	7.659	2034	2043	2062	rVB	203732	345352	13.36%	1.833%
54	8.129	2178	2189	2223	rBV2	539475	1178440	45.60%	6.253%
55	8.765	2385	2387	2389	rBV3	1871	862	0.03%	0.005%
56	8.891	2414	2426	2447	rBV	1260362	2070665	80.12%	10.988%
57	9.260	2539	2541	2545	rBV5	1644	1066	0.04%	0.006%
58	9.640	2655	2659	2662	rBV3	1489	1114	0.04%	0.006%
59	9.666	2665	2667	2669	rBV3	1549	771	0.03%	0.004%
60	9.749	2689	2693	2694	rBV4	1842	1104	0.04%	0.006%
61	9.862	2724	2728	2733	rBV6	1506	1555	0.06%	0.008%
62	9.900	2737	2740	2741	rBV3	1329	610	0.02%	0.003%
63	9.955	2756	2757	2758	rBV	1091	248	0.01%	0.001%
64	9.968	2758	2761	2764	rBV5	1649	1166	0.05%	0.006%
65	10.071	2790	2793	2794	rBV2	1119	622	0.02%	0.003%
66	10.164	2820	2822	2823	rBV2	563	156	0.01%	0.001%
67	10.193	2827	2831	2834	rBV4	1201	936	0.04%	0.005%
68	10.212	2834	2837	2838	rBV3	1728	963	0.04%	0.005%
69	10.254	2839	2850	2867	rVV	716444	1119388	43.31%	5.940%
70	10.412	2896	2899	2910	rVB7	5986	10152	0.39%	0.054%
71	10.492	2921	2924	2926	rBV4	2243	1225	0.05%	0.007%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121119\
 Data File : VV014019.D
 Acq On : 11 Dec 2019 18:43
 Operator : SY/MD
 Sample : K6308-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0C32

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Title : VOC Analysis

72	10.550	2941	2942	2944	rBV3	865	345	0.01%	0.002%
73	10.585	2946	2953	2955	rBV5	1979	2128	0.08%	0.011%
74	10.749	3002	3004	3006	rBV3	1578	626	0.02%	0.003%
75	10.823	3023	3027	3030	rVB6	1455	1013	0.04%	0.005%
76	10.842	3030	3033	3036	rBV5	1780	1569	0.06%	0.008%
77	10.878	3040	3044	3046	rBV3	2049	1692	0.07%	0.009%
78	10.936	3061	3062	3064	rBV2	874	432	0.02%	0.002%
79	10.987	3076	3078	3081	rBV2	923	664	0.03%	0.004%
80	11.042	3092	3095	3098	rVB4	1148	716	0.03%	0.004%
81	11.196	3140	3143	3144	rBV3	1152	672	0.03%	0.004%
82	11.289	3160	3172	3189	rBV	948998	1463160	56.61%	7.764%
83	11.518	3240	3243	3244	rBV4	1622	1008	0.04%	0.005%
84	11.665	3277	3289	3309	rBV	974581	1545000	59.78%	8.199%
85	12.215	3458	3460	3461	rBV2	1156	403	0.02%	0.002%
86	12.376	3508	3510	3511	rBV2	818	389	0.02%	0.002%
87	12.386	3511	3513	3518	rVB6	2157	1889	0.07%	0.010%
88	12.408	3518	3520	3521	rBV2	1847	782	0.03%	0.004%
89	12.649	3594	3595	3598	rBV3	991	660	0.03%	0.004%
90	13.077	3725	3728	3732	rVB6	2547	1805	0.07%	0.010%
91	13.132	3744	3745	3749	rBV2	866	447	0.02%	0.002%
92	13.151	3749	3751	3753	rBV3	1555	617	0.02%	0.003%
93	13.514	3861	3864	3869	rBV4	1549	1367	0.05%	0.007%


Sum of corrected areas: 18844591

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121119\
Data File : VV014019.D
Acq On : 11 Dec 2019 18:43
Operator : SY/MD
Sample : K6308-11
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0C32

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV121119\
Data File : VV014019.D
Acq On : 11 Dec 2019 18:43
Operator : SY/MD
Sample : K6308-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0C32

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121119\
Data File : VV014019.D
Acq On : 11 Dec 2019 18:43
Operator : SY/MD
Sample : K6308-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0C32

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc