

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121219\
 Data File : VV014035.D
 Acq On : 12 Dec 2019 16:38
 Operator : SY/MD
 Sample : K6280-02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF28

Quant Time: Dec 13 07:28:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 13 06:14:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	642386	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	606747	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	236089	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	179863	48.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.82%
7) Chloroethane-d5	1.56	69	184580	47.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.20%
11) 1,1-Dichloroethene-d2	2.12	63	280868	34.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.38%
21) 2-Butanone-d5	3.92	46	281680	107.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.72%
24) Chloroform-d	4.39	84	388918	49.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.70%
26) 1,2-Dichloroethane-d4	5.07	65	248164	50.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.38%
32) Benzene-d6	5.09	84	791801	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.72%
36) 1,2-Dichloropropane-d6	6.11	67	251977	53.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.78%
41) Toluene-d8	7.35	98	667241	46.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.10%
43) trans-1,3-Dichloropropene-	7.66	79	100494	43.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.52%
47) 2-Hexanone-d5	8.13	63	159902	90.74	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.74%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	318673	46.63	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.26%
64) 1,2-Dichlorobenzene-d4	11.67	152	255095	55.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.02%


Target Compounds				Ovalue
13) Acetone	2.18	43	5110	1.333 ug/L 74


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121219\
Data File : VV014035.D
Acq On : 12 Dec 2019 16:38
Operator : SY/MD
Sample : K6280-02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF28

Quant Time: Dec 13 07:28:21 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 13 06:14:07 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.333 ug/L
 RT: 2.18 min Scan# 340
 Delta R.T. 0.00 min
 Lab File: VV014035.D
 Acq: 12 Dec 2019 16:38

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF28

Tot Ion: 43 Resp: 5110
 Ion Ratio Lower Upper
 43 100
 58 44.4 0.0 60.8

