

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121219\
 Data File : VV014037.D
 Acq On : 12 Dec 2019 17:27
 Operator : SY/MD
 Sample : K6280-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF38

Quant Time: Dec 13 07:33:09 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 13 06:14:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	658888	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	625136	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	233208	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	176822	46.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.80%
7) Chloroethane-d5	1.57	69	185943	46.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.50%
11) 1,1-Dichloroethene-d2	2.12	63	265268	31.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.96%
21) 2-Butanone-d5	3.92	46	254870	95.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.02%
24) Chloroform-d	4.39	84	385399	48.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.32%
26) 1,2-Dichloroethane-d4	5.07	65	249679	49.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.48%
32) Benzene-d6	5.09	84	789285	48.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.46%
36) 1,2-Dichloropropane-d6	6.11	67	256166	52.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.36%
41) Toluene-d8	7.35	98	662449	44.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.72%
43) trans-1,3-Dichloropropene-	7.66	79	101798	43.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.04%
47) 2-Hexanone-d5	8.13	63	138346	76.20	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	76.20%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	298021	42.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.66%
64) 1,2-Dichlorobenzene-d4	11.67	152	236297	51.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.18%


Target Compounds				Ovalue
13) Acetone	2.18	43	9568	2.434 ug/L 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121219\
Data File : VV014037.D
Acq On : 12 Dec 2019 17:27
Operator : SY/MD
Sample : K6280-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF38

Quant Time: Dec 13 07:33:09 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 13 06:14:07 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.434 ug/L
 RT: 2.18 min Scan# 340
 Delta R.T. 0.00 min
 Lab File: VV014037.D
 Acq: 12 Dec 2019 17:27

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF38

Tot Ion: 43 Resp: 9568
 Ion Ratio Lower Upper
 43 100
 58 34.9 0.0 60.8

