

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121219\
 Data File : VV014041.D
 Acq On : 12 Dec 2019 19:05
 Operator : SY/MD
 Sample : K6276-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0C61

Manual Integrations
 APPROVED

apatel
 12/13/2019 12:41:05 PM

Quant Time: Dec 13 07:44:19 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 13 06:14:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	649279	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	633543	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	244740	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	181418	48.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.62%
7) Chloroethane-d5	1.56	69	182789	46.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.26%
11) 1,1-Dichloroethene-d2	2.12	63	274502m	33.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.12%
21) 2-Butanone-d5	3.92	46	262667	99.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.38%
24) Chloroform-d	4.39	84	381120	48.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.66%
26) 1,2-Dichloroethane-d4	5.07	65	241433	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
32) Benzene-d6	5.09	84	775754	47.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.50%
36) 1,2-Dichloropropane-d6	6.11	67	245627	49.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.68%
41) Toluene-d8	7.36	98	664985	44.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.86%
43) trans-1,3-Dichloropropene-	7.66	79	97320	40.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.18%
47) 2-Hexanone-d5	8.13	63	145585	79.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	79.12%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	315354	44.20	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	257696	53.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.22%

Target Compounds					Ovalue
13) Acetone	2.19	43	6025	1.556 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121219\
Data File : VV014041.D
Acq On : 12 Dec 2019 19:05
Operator : SY/MD
Sample : K6276-11
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 18 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
C0C61

Manual Integrations
APPROVED

apatel
12/13/2019 12:41:05 PM

Quant Time: Dec 13 07:44:19 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 13 06:14:07 2019
Response via : Initial Calibration





#13
Acetone
Concen: 1.556 ug/L
RT: 2.19 min Scan# 342
Delta R.T. 0.01 min
Lab File: VV014041.D
Acq: 12 Dec 2019 19:05

Instrument :
MSVOA_V
ClientSampleId :
C0C61

Tot Ion	Ratio	Lower	Upper
43	100		
58	32.6	0.0	60.8

Manual Integrations
APPROVED

apatel
12/13/2019 12:41:05 PM

