

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019546.D
 Acq On : 12 Dec 2020 11:00
 Operator : SY/MD
 Sample : VV1212MBL01
 Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK62

Quant Time: Dec 13 05:15:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 13 04:37:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	667509	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	617529	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	279436	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	205046	42.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.68%
7) Chloroethane-d5	1.57	69	177170	46.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.86%
11) 1,1-Dichloroethene-d2	2.11	63	305748	34.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.84%
21) 2-Butanone-d5	3.89	46	284645	109.41	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.41%
24) Chloroform-d	4.35	84	404444	46.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.76%
26) 1,2-Dichloroethane-d4	5.04	65	281265	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.78%
32) Benzene-d6	5.05	84	795050	48.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.54%
36) 1,2-Dichloropropane-d6	6.07	67	255850	49.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.18%
41) Toluene-d8	7.32	98	693749	46.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.56%
43) trans-1,3-Dichloropropene-	7.62	79	131959	44.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.94%
47) 2-Hexanone-d5	8.09	63	209205	103.32	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.32%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	345268	49.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.96%
64) 1,2-Dichlorobenzene-d4	11.63	152	257015	49.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.40%

Target Compounds					Ovalue
46) Tetrachloroethene	7.98	164	4861	1.474 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121220\
Data File : VV019546.D
Acq On : 12 Dec 2020 11:00
Operator : SY/MD
Sample : VV1212MBL01
Misc : 5.0g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK62

Quant Time: Dec 13 05:15:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 13 04:37:51 2020
Response via : Initial Calibration

