

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019563.D
 Acq On : 12 Dec 2020 18:05
 Operator : SY/MD
 Sample : L4928-01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4H7

Quant Time: Dec 13 06:46:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 13 04:37:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	651547	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	600597	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	276122	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	259417	55.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	111.04%
7) Chloroethane-d5	1.57	69	211587	57.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	114.84%
11) 1,1-Dichloroethene-d2	2.11	63	365044	42.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.20%
21) 2-Butanone-d5	3.89	46	290207	114.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.28%
24) Chloroform-d	4.35	84	437553	51.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.92%
26) 1,2-Dichloroethane-d4	5.04	65	305083	55.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.88%
32) Benzene-d6	5.05	84	895333	55.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.78%
36) 1,2-Dichloropropane-d6	6.07	67	279369	55.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.36%
41) Toluene-d8	7.32	98	790120	54.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.58%
43) trans-1,3-Dichloropropene-	7.62	79	141976	49.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.48%
47) 2-Hexanone-d5	8.09	63	217104	110.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.24%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	358500	52.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.64%
64) 1,2-Dichlorobenzene-d4	11.63	152	284071	55.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.08%

Target Compounds					Ovalue
13) Acetone	2.19	43	9478	4.381 ug/L	73
46) Tetrachloroethene	7.98	164	3745	1.167 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121220\
Data File : VV019563.D
Acq On : 12 Dec 2020 18:05
Operator : SY/MD
Sample : L4928-01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4H7

Quant Time: Dec 13 06:46:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 13 04:37:51 2020
Response via : Initial Calibration

