

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019567.D
 Acq On : 12 Dec 2020 19:41
 Operator : SY/MD
 Sample : L4928-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4H9

Quant Time: Dec 13 07:11:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sun Dec 13 04:37:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	631066	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	579829	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	268030	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	255873	56.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	113.08%
7) Chloroethane-d5	1.57	69	210338	58.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	117.86%
11) 1,1-Dichloroethene-d2	2.11	63	368469	43.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.74%
21) 2-Butanone-d5	3.90	46	283083	115.09	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	115.09%
24) Chloroform-d	4.35	84	440474	54.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.02%
26) 1,2-Dichloroethane-d4	5.04	65	308179	57.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	115.64%
32) Benzene-d6	5.05	84	895675	57.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	115.84%
36) 1,2-Dichloropropane-d6	6.07	67	280041	57.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	115.62%
41) Toluene-d8	7.32	98	794268	57.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.10%
43) trans-1,3-Dichloropropene-	7.62	79	139428	50.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.20%
47) 2-Hexanone-d5	8.09	63	210094	110.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.50%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	350766	53.53	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	107.06%
64) 1,2-Dichlorobenzene-d4	11.63	152	283768	56.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	113.28%


Target Compounds					Ovalue
13) Acetone	2.19	43	9846	4.699 ug/L	95
46) Tetrachloroethene	7.98	164	2734	0.883 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121220\
Data File : VV019567.D
Acq On : 12 Dec 2020 19:41
Operator : SY/MD
Sample : L4928-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4H9

Quant Time: Dec 13 07:11:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Dec 13 04:37:51 2020
Response via : Initial Calibration





#13

Acetone

Concen: 4.699 ug/L

RT: 2.19 min Scan# 342

Delta R.T. 0.01 min

Lab File: VV019567.D

Acq: 12 Dec 2020 19:41

Instrument :

MSVOA_V

ClientSampleId :


BG4H9

Tot Ion: 43 Resp: 9846

Ion Ratio Lower Upper

43 100

58 28.0 0.0 61.6



Abundance Ion 43.00 (42.70 to 43.70): VV019545.D (-325) (-)

Ion 58.00 (57.70 to 58.70): VV019545.D (-325) (-)

2.19

4000



3000

2000

1000

0

Time--> 2.10 2.15 2.20 2.25



#46

Tetrachloroethene

Concen: 0.883 ug/L

RT: 7.98 min Scan# 2143

Delta R.T. 0.00 min

Lab File: VV019567.D

Acq: 12 Dec 2020 19:41

Tgt Ion:164 Resp: 2734


Ion Ratio Lower Upper

164 100

129 95.9 70.6 131.0

131 111.6 68.0 126.4

166 126.2 86.9 161.5



Abundance Ion 164.00 (163.70 to 164.70): VV019545.D (-2129) (-)

Ion 129.00 (128.70 to 129.70): VV019545.D (-2129) (-)

Ion 131.00 (130.70 to 131.70): VV019545.D (-2129) (-)

Ion 166.00 (165.70 to 166.70): VV019545.D (-2129) (-)

7.98

3000

2500

2000

1500

1000

500

0

Time--> 7.95 8.00

