

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019587.D
 Acq On : 13 Dec 2020 04:28
 Operator : SY/MD
 Sample : L4928-03 200X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4M0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	62	68	85	rVB	261851	259974	12.46%	1.555%
2	1.569	142	149	163	rBV	230467	261392	12.53%	1.563%
3	2.110	308	317	345	rVB	439278	692023	33.18%	4.139%
4	2.714	502	505	508	rBV3	1193	834	0.04%	0.005%
5	2.926	568	571	574	rBV3	765	737	0.04%	0.004%
6	2.958	578	581	584	rVV3	538	433	0.02%	0.003%
7	3.200	653	656	658	rBV3	546	304	0.01%	0.002%
8	3.222	662	663	669	rVB5	591	368	0.02%	0.002%
9	3.273	676	679	681	rBV4	935	591	0.03%	0.004%
10	3.315	688	692	695	rVB3	471	321	0.02%	0.002%
11	3.341	695	700	705	rBV4	580	762	0.04%	0.005%
12	3.383	711	713	716	rVB3	363	216	0.01%	0.001%
13	3.402	716	719	723	rBV4	551	408	0.02%	0.002%
14	3.482	738	744	746	rBV3	635	591	0.03%	0.004%
15	3.560	764	768	771	rBV3	763	696	0.03%	0.004%
16	3.618	784	786	788	rBV3	433	265	0.01%	0.002%
17	3.637	790	792	793	rBV2	441	156	0.01%	0.001%
18	3.894	860	872	908	rBV2	143357	452264	21.68%	2.705%
19	4.354	999	1015	1041	rBV	341924	833924	39.98%	4.988%
20	4.669	1111	1113	1114	rBV2	532	267	0.01%	0.002%
21	4.804	1153	1155	1157	rBV2	491	258	0.01%	0.002%
22	4.843	1165	1167	1171	rBV	576	459	0.02%	0.003%
23	4.913	1187	1189	1192	rBV3	412	211	0.01%	0.001%
24	5.052	1214	1232	1258	rBV2	810375	2085685	100.00%	12.475%
25	5.412	1341	1344	1346	rBV4	857	593	0.03%	0.004%
26	5.466	1358	1361	1363	rBV3	537	397	0.02%	0.002%
27	5.556	1386	1389	1393	rVB4	703	528	0.03%	0.003%
28	5.621	1396	1409	1431	rBV	725354	1449698	69.51%	8.671%
29	5.868	1484	1486	1489	rBV3	835	507	0.02%	0.003%
30	5.916	1492	1501	1519	rVB8	12687	31245	1.50%	0.187%
31	6.074	1534	1550	1577	rBV	484174	981974	47.08%	5.873%
32	6.441	1661	1664	1666	rBV3	582	280	0.01%	0.002%
33	6.453	1666	1668	1671	rVV4	503	312	0.01%	0.002%
34	6.511	1683	1686	1689	rBV4	519	369	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019587.D
 Acq On : 13 Dec 2020 04:28
 Operator : SY/MD
 Sample : L4928-03 200X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4M0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

35	6.576	1704	1706	1707	rBV	291	115	0.01%	0.001%
36	6.621	1717	1720	1721	rBV	1005	507	0.02%	0.003%
37	6.778	1767	1769	1772	rVB3	718	202	0.01%	0.001%
38	6.891	1802	1804	1807	rVB	395	182	0.01%	0.001%
39	6.907	1807	1809	1812	rBV2	295	188	0.01%	0.001%
40	6.990	1819	1835	1862	rBV	273634	500277	23.99%	2.992%
41	7.318	1925	1937	1962	rBV	897748	1543903	74.02%	9.234%
42	7.624	2022	2032	2063	rBV	194918	335491	16.09%	2.007%
43	7.977	2130	2142	2160	rBV	307709	515667	24.72%	3.084%
44	8.090	2167	2177	2209	rBV	539200	933062	44.74%	5.581%
45	8.428	2275	2282	2291	rVB6	5574	8560	0.41%	0.051%
46	8.566	2320	2325	2328	rBV4	1100	1200	0.06%	0.007%
47	8.807	2395	2400	2402	rBV2	613	507	0.02%	0.003%
48	8.855	2402	2415	2441	rBV	1067692	1718551	82.40%	10.279%
49	9.080	2483	2485	2488	rBV2	709	457	0.02%	0.003%
50	9.248	2535	2537	2538	rBV	636	227	0.01%	0.001%
51	9.289	2549	2550	2551	rBV	403	135	0.01%	0.001%
52	9.312	2555	2557	2560	rVB2	446	219	0.01%	0.001%
53	9.338	2563	2565	2568	rVV2	367	172	0.01%	0.001%
54	9.354	2568	2570	2576	rVB2	500	285	0.01%	0.002%
55	9.450	2598	2600	2603	rBV2	399	249	0.01%	0.001%
56	9.482	2608	2610	2612	rVB2	363	130	0.01%	0.001%
57	9.498	2612	2615	2617	rBV3	660	275	0.01%	0.002%
58	9.518	2617	2621	2623	rBV5	747	657	0.03%	0.004%
59	9.559	2628	2634	2635	rBV4	896	854	0.04%	0.005%
60	9.611	2645	2650	2655	rBV3	550	652	0.03%	0.004%
61	9.675	2668	2670	2674	rVB	498	346	0.02%	0.002%
62	9.739	2687	2690	2693	rBV3	591	484	0.02%	0.003%
63	9.839	2719	2721	2722	rBV3	416	164	0.01%	0.001%
64	9.900	2737	2740	2741	rBV2	571	347	0.02%	0.002%
65	10.003	2768	2772	2774	rBV	715	441	0.02%	0.003%
66	10.026	2774	2779	2781	rBV2	1010	731	0.04%	0.004%
67	10.084	2795	2797	2800	rVB2	608	291	0.01%	0.002%
68	10.219	2827	2839	2859	rBV	656318	1028131	49.29%	6.149%
69	10.383	2886	2890	2901	rVB7	852	1678	0.08%	0.010%
70	10.424	2901	2903	2904	rBV	712	295	0.01%	0.002%
71	10.556	2942	2944	2946	rBV	279	100	0.00%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121220\
 Data File : VV019587.D
 Acq On : 13 Dec 2020 04:28
 Operator : SY/MD
 Sample : L4928-03 200X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4M0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

72	10.630	2963	2967	2968	rBV3	608	457	0.02%	0.003%
73	10.743	3000	3002	3004	rBV2	528	222	0.01%	0.001%
74	10.759	3004	3007	3010	rBV2	463	383	0.02%	0.002%
75	10.794	3015	3018	3020	rBV	629	368	0.02%	0.002%
76	10.858	3035	3038	3041	rBV2	882	660	0.03%	0.004%
77	10.936	3060	3062	3065	rBV4	564	331	0.02%	0.002%
78	11.196	3141	3143	3148	rBV3	687	513	0.02%	0.003%
79	11.251	3148	3160	3188	rBV	1046762	1616905	77.52%	9.671%
80	11.485	3231	3233	3234	rBV2	333	110	0.01%	0.001%
81	11.521	3241	3244	3246	rBV2	429	227	0.01%	0.001%
82	11.627	3265	3277	3295	rBV	912055	1439493	69.02%	8.610%
83	11.868	3350	3352	3354	rBV	343	167	0.01%	0.001%
84	11.894	3358	3360	3361	rBV	605	228	0.01%	0.001%
85	12.083	3416	3419	3421	rBV2	697	468	0.02%	0.003%
86	12.161	3442	3443	3446	rBV	353	180	0.01%	0.001%
87	12.453	3529	3534	3537	rBV4	1280	1241	0.06%	0.007%
88	12.508	3547	3551	3553	rBV3	426	338	0.02%	0.002%
89	12.649	3592	3595	3599	rBV3	1028	855	0.04%	0.005%
90	12.932	3680	3683	3686	rBV2	668	552	0.03%	0.003%
91	13.112	3736	3739	3740	rBV3	502	286	0.01%	0.002%
92	13.505	3859	3861	3864	rBV2	550	328	0.02%	0.002%
93	14.022	4019	4022	4023	rBV	783	414	0.02%	0.002%


Sum of corrected areas: 16719500

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121220\
Data File : VV019587.D
Acq On : 13 Dec 2020 04:28
Operator : SY/MD
Sample : L4928-03 200X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4M0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121220\
Data File : VV019587.D
Acq On : 13 Dec 2020 04:28
Operator : SY/MD
Sample : L4928-03 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4M0

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV121220\
Data File : VV019587.D
Acq On : 13 Dec 2020 04:28
Operator : SY/MD
Sample : L4928-03 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4M0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc