

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121319\
Quantitation Report (QT/LSC Reviewed)


Data File : VV014047.D
Acq On : 13 Dec 2019 11:57
Operator : SY/MD
Sample : VV1213WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK91

Manual Integrations
APPROVED

sam
12/16/2019 1:55:13 PM

Quant Time: Dec 14 03:37:42 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 03:25:09 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121319\
Quantitation Report (Qedit)




Data File : VV014047.D
Acq On : 13 Dec 2019 11:57
Operator : SY/MD
Sample : VV1213WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK91

Manual Integrations
APPROVED

sam
12/16/2019 1:55:13 PM

Quant Time: Dec 14 03:27:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 03:25:09 2019
Response via : Initial Calibration



TIC: VV014047.D

(13) Acetone (T)

2.135min (-0.077) 0.21ug/L

response 690

Ion	Exp%	Act%
43.05	100	100
58.05	13.60	18.55
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121319\
Quantitation Report (Qedit)




Data File : VV014047.D
Acq On : 13 Dec 2019 11:57
Operator : SY/MD
Sample : VV1213WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK91

Manual Integrations
APPROVED

sam
12/16/2019 1:55:13 PM

Quant Time: Dec 14 03:27:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 03:25:09 2019
Response via : Initial Calibration



TIC: VV014047.D

(13) Acetone (T)

2.206min (-0.006) 3.17ug/L m

response 10492

Ion	Exp%	Act%
43.05	100	100
58.05	13.60	1.22
0.00	0.00	0.00
0.00	0.00	0.00

7 MD
12/16/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121319\
Quantitation Report (QT/LSC Reviewed)

Data File : VV014047.D
Acq On : 13 Dec 2019 11:57
Operator : SY/MD
Sample : VV1213WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK91

Manual Integrations
APPROVED

sam
12/16/2019 1:55:13 PM

Quant Time: Dec 16 09:13:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 03:25:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.66	114	367670	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	378361	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	165516	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	122200	5.37	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	107.40%
7) Chloroethane-d5	1.58	69	105604	5.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.20%
11) 1,1-Dichloroethene-d2	2.13	63	152192	3.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.40%
20) 2-Butanone-d5	3.95	46	243302	51.43	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.86%
24) Chloroform-d	4.40	84	222423	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
26) 1,2-Dichloroethane-d4	5.08	65	113189	5.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.60%
32) Benzene-d6	5.10	84	412526	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	6.11	67	136615	4.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.00%
41) Toluene-d8	7.36	98	326654	3.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.40%
43) trans-1,3-Dichloropropene-	7.66	79	47645	4.21	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.20%
46) 2-Hexanone-d5	8.14	63	174312	41.74	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.48%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	101228	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	145398	4.98	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.60%

Target Compounds

					Qvalue	
13) Acetone	2.21	43	10492m	3.172	ug/L	
16) Methylene chloride	2.53	84	12171	0.503	ug/L	94

7m8
12/16/19

(#) = qualifier out of range (m) = manual integration (+) = signals summed