

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121418\
 Data File : VV008943.D
 Acq On : 14 Dec 2018 20:40
 Operator : SY/MD
 Sample : J6369-10
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COL94

Quant Time: Dec 15 00:52:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 14 23:39:04 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	203968	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	190245	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	79410	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	51502	43.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.48%
7) Chloroethane-d5	1.56	69	42099	56.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	112.32%
11) 1,1-Dichloroethene-d2	2.13	63	105867	37.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.26%
21) 2-Butanone-d5	3.93	46	89123	112.06	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.06%
24) Chloroform-d	4.41	84	124131	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.68%
26) 1,2-Dichloroethane-d4	5.08	65	83159	51.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.74%
32) Benzene-d6	5.10	84	255223	49.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.56%
36) 1,2-Dichloropropane-d6	6.12	67	77669	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.84%
41) Toluene-d8	7.36	98	233112	48.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.88%
43) trans-1,3-Dichloropropene-	7.67	79	36268	46.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.84%
47) 2-Hexanone-d5	8.14	63	57407	100.68	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.68%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	95547	48.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.08%
64) 1,2-Dichlorobenzene-d4	11.68	152	84682	51.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.40%

Target Compounds					Ovalue
34) Trichloroethene	5.96	95	11254	7.434 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121418\
Data File : VV008943.D
Acq On : 14 Dec 2018 20:40
Operator : SY/MD
Sample : J6369-10
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COL94

Quant Time: Dec 15 00:52:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 14 23:39:04 2018
Response via : Initial Calibration

