

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121418\
 Data File : VV008941.D
 Acq On : 14 Dec 2018 19:53
 Operator : SY/MD
 Sample : J6369-07
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COL65

Quant Time: Dec 15 00:46:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 14 23:39:04 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	207567	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	189678	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	80264	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	51101	42.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.32%
7) Chloroethane-d5	1.57	69	40597	53.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.44%
11) 1,1-Dichloroethene-d2	2.13	63	109042	38.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.18%
21) 2-Butanone-d5	3.93	46	90043	111.26	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.26%
24) Chloroform-d	4.41	84	126067	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.48%
26) 1,2-Dichloroethane-d4	5.08	65	85593	51.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.90%
32) Benzene-d6	5.10	84	262290	51.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.62%
36) 1,2-Dichloropropane-d6	6.12	67	78611	51.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.36%
41) Toluene-d8	7.36	98	239387	49.89	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.78%
43) trans-1,3-Dichloropropene-	7.67	79	36803	47.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.48%
47) 2-Hexanone-d5	8.14	63	60002	105.55	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.55%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	91181	45.98	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.96%
64) 1,2-Dichlorobenzene-d4	11.68	152	85585	51.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.40%


Target Compounds					Ovalue
13) Acetone	2.19	43	8125	6.676 ug/L	97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121418\
Data File : VV008941.D
Acq On : 14 Dec 2018 19:53
Operator : SY/MD
Sample : J6369-07
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COL65

Quant Time: Dec 15 00:46:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 14 23:39:04 2018
Response via : Initial Calibration





#13

Acetone

Concen: 6.676 ug/L

RT: 2.19 min Scan# 343

Delta R.T. 0.00 min

Lab File: VV008941.D

Acq: 14 Dec 2018 19:53

Instrument :
MSVOA_V
ClientSampleId :
COL65

Tot Ion: 43 Resp: 8125

Ion Ratio Lower Upper

43 100

58 29.5 0.0 61.8

