

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121418\
 Data File : VV008952.D
 Acq On : 15 Dec 2018 00:16
 Operator : SY/MD
 Sample : J6387-05
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0LA7

Quant Time: Dec 15 01:19:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 15 01:01:00 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	203599	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	190619	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	81247	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	48622	40.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.78%
7) Chloroethane-d5	1.56	69	38560	51.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.06%
11) 1,1-Dichloroethene-d2	2.13	63	101399	36.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.22%
21) 2-Butanone-d5	3.93	46	91011	114.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.64%
24) Chloroform-d	4.41	84	119839	47.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.48%
26) 1,2-Dichloroethane-d4	5.08	65	80472	49.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.60%
32) Benzene-d6	5.10	84	245149	47.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.44%
36) 1,2-Dichloropropane-d6	6.12	67	75393	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.68%
41) Toluene-d8	7.36	98	228567	47.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.80%
43) trans-1,3-Dichloropropene-	7.67	79	34731	44.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.72%
47) 2-Hexanone-d5	8.13	63	57338	100.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.36%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	93021	46.68	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.36%
64) 1,2-Dichlorobenzene-d4	11.68	152	81521	48.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.30%


Target Compounds					Ovalue
34) Trichloroethene	5.96	95	2609	1.720 ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121418\
Data File : VV008952.D
Acq On : 15 Dec 2018 00:16
Operator : SY/MD
Sample : J6387-05
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0LA7

Quant Time: Dec 15 01:19:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121318WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 15 01:01:00 2018
Response via : Initial Calibration





#34

Trichloroethene

Concen: 1.720 ug/L

RT: 5.96 min Scan# 1515

Delta R.T. 0.00 min

Lab File: VV008952.D

Acq: 15 Dec 2018 00:16

Instrument :

MSVOA_V

ClientSampleId :

C0LA7

Tot Ion: 95 Resp: 2609



Ion Ratio Lower Upper

95 100

97 63.0 45.7 84.9

132 90.8 72.2 134.2

130 75.3 73.8 137.2



Abundance

Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

