

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121420\  
 Data File : VV019629.D  
 Acq On : 15 Dec 2020 01:53  
 Operator : SY/MD  
 Sample : L4998-19  
 Misc : 5.0mL/MSVOA V/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 C0AW9

Quant Time: Dec 15 11:29:01 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM121020WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Tue Dec 15 10:26:59 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.62  | 114  | 599794   | 50.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.86  | 117  | 555327   | 50.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.25 | 152  | 253532   | 50.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |         |       |          |          |      |         |
|--------------------------------|---------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.31    | 65    | 192331   | 44.72    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 135 | Recovery | =    | 89.44%  |
| 7) Chloroethane-d5             | 1.57    | 69    | 171099   | 50.44    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 130 | Recovery | =    | 100.88% |
| 11) 1,1-Dichloroethene-d2      | 2.11    | 63    | 292689   | 36.67    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 73.34%  |
| 21) 2-Butanone-d5              | 3.90    | 46    | 263046   | 112.52   | ug/L | 0.00    |
| Spiked Amount                  | 100.000 | Range | 40 - 130 | Recovery | =    | 112.52% |
| 24) Chloroform-d               | 4.35    | 84    | 386691   | 49.89    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 99.78%  |
| 26) 1,2-Dichloroethane-d4      | 5.04    | 65    | 270930   | 53.48    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 106.96% |
| 32) Benzene-d6                 | 5.05    | 84    | 774782   | 52.31    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 104.62% |
| 36) 1,2-Dichloropropane-d6     | 6.07    | 67    | 246553   | 53.14    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 70 - 120 | Recovery | =    | 106.28% |
| 41) Toluene-d8                 | 7.32    | 98    | 680208   | 51.01    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 102.02% |
| 43) trans-1,3-Dichloropropene- | 7.62    | 79    | 118699   | 44.98    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 89.96%  |
| 47) 2-Hexanone-d5              | 8.09    | 63    | 189523   | 104.08   | ug/L | 0.00    |
| Spiked Amount                  | 100.000 | Range | 45 - 130 | Recovery | =    | 104.08% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.22   | 84    | 329310   | 52.48    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 65 - 120 | Recovery | =    | 104.96% |
| 64) 1,2-Dichlorobenzene-d4     | 11.63   | 152   | 252198   | 53.21    | ug/L | 0.00    |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 106.42% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121420\  
Data File : VV019629.D  
Acq On : 15 Dec 2020 01:53  
Operator : SY/MD  
Sample : L4998-19  
Misc : 5.0mL/MSVOA V/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
C0AW9

Quant Time: Dec 15 11:29:01 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM121020WMA.M  
Quant Title : VOC Analysis  
QLast Update : Tue Dec 15 10:26:59 2020  
Response via : Initial Calibration

