

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121420\
 Data File : VV019640.D
 Acq On : 15 Dec 2020 06:16
 Operator : SY/MD
 Sample : L5024-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AY0

Quant Time: Dec 15 12:22:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 15 10:26:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	585493	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	542133	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	246127	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	180238	42.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.86%
7) Chloroethane-d5	1.57	69	163135	49.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.54%
11) 1,1-Dichloroethene-d2	2.11	63	275621	35.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.74%
21) 2-Butanone-d5	3.89	46	261273	114.49	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.49%
24) Chloroform-d	4.35	84	376384	49.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.48%
26) 1,2-Dichloroethane-d4	5.04	65	262437	53.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.14%
32) Benzene-d6	5.05	84	742477	51.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.70%
36) 1,2-Dichloropropane-d6	6.07	67	241861	53.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.80%
41) Toluene-d8	7.32	98	647455	49.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.46%
43) trans-1,3-Dichloropropene-	7.62	79	113930	44.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.44%
47) 2-Hexanone-d5	8.09	63	182574	102.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.71%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	318778	52.03	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.06%
64) 1,2-Dichlorobenzene-d4	11.63	152	239601	52.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.16%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121420\
Data File : VV019640.D
Acq On : 15 Dec 2020 06:16
Operator : SY/MD
Sample : L5024-10
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AY0

Quant Time: Dec 15 12:22:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 15 10:26:59 2020
Response via : Initial Calibration

