

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
 Data File : VV033349.D
 Acq On : 14 Dec 2023 21:00
 Operator : SY/MD
 Sample : VV1214MBL02
 Misc : 5.00g/5.0mL/100uL/5.00mL/MSVOA_V/MEOH
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK245

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M

Title : VOC Analysis

Signal : TIC: VV033349.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	94	rVB	92628	95010	12.12%	1.532%
2	1.532	146	153	168	rVB	70992	83751	10.68%	1.351%
3	2.002	297	299	302	rBV	159	123	0.02%	0.002%
4	2.060	307	317	343	rVB	162857	237365	30.28%	3.828%
5	2.153	343	346	351	rBB2	384	296	0.04%	0.005%
6	2.214	362	365	367	rBV2	237	165	0.02%	0.003%
7	2.352	405	408	412	rBB	291	166	0.02%	0.003%
8	2.452	432	439	442	rBV3	1679	1879	0.24%	0.030%
9	2.909	579	581	585	rBB2	240	157	0.02%	0.003%
10	2.954	592	595	597	rBV	141	119	0.02%	0.002%
11	3.191	666	669	672	rBB	284	194	0.02%	0.003%
12	3.786	845	854	876	rBV	38216	99399	12.68%	1.603%
13	4.249	982	998	1024	rBV	133233	341385	43.55%	5.505%
14	4.494	1071	1074	1077	rVB2	322	179	0.02%	0.003%
15	4.629	1112	1116	1118	rBB	170	143	0.02%	0.002%
16	4.648	1119	1122	1124	rBV	136	114	0.01%	0.002%
17	4.703	1136	1139	1141	rBV	210	144	0.02%	0.002%
18	4.957	1200	1218	1249	rBV3	293628	783893	100.00%	12.641%
19	5.400	1354	1356	1358	rBV	237	148	0.02%	0.002%
20	5.481	1377	1381	1382	rBV	214	134	0.02%	0.002%
21	5.535	1386	1398	1422	rBV	233421	482783	61.59%	7.786%
22	5.828	1481	1489	1498	rBV8	4115	8229	1.05%	0.133%
23	5.989	1527	1539	1568	rBV2	158750	326457	41.65%	5.265%
24	6.214	1606	1609	1611	rBV	166	131	0.02%	0.002%
25	6.243	1615	1618	1621	rBB	342	192	0.02%	0.003%
26	6.272	1624	1627	1630	rBB2	211	127	0.02%	0.002%
27	6.336	1644	1647	1650	rBB	160	129	0.02%	0.002%
28	6.465	1683	1687	1688	rBV	302	212	0.03%	0.003%
29	6.596	1725	1728	1731	rBB	137	117	0.01%	0.002%
30	6.757	1776	1778	1781	rBB	170	115	0.01%	0.002%
31	6.873	1811	1814	1816	rBB	346	154	0.02%	0.002%
32	6.915	1816	1827	1858	rBV	94158	176953	22.57%	2.854%
33	7.121	1890	1891	1895	rBV	252	189	0.02%	0.003%
34	7.172	1904	1907	1910	rBB	239	156	0.02%	0.003%
35	7.243	1917	1929	1955	rBV	379202	671320	85.64%	10.826%
36	7.555	2016	2026	2055	rBV	69501	124567	15.89%	2.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
 Data File : VV033349.D
 Acq On : 14 Dec 2023 21:00
 Operator : SY/MD
 Sample : VV1214MBL02
 Misc : 5.00g/5.0mL/100uL/5.00mL/MSVOA_V/MEOH
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK245

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Title : VOC Analysis

37	7.767	2088	2092	2094	rBB	351	215	0.03%	0.003%
38	7.873	2120	2125	2135	rBV2	588	1093	0.14%	0.018%
39	7.931	2140	2143	2146	rBB	204	153	0.02%	0.002%
40	8.024	2162	2172	2204	rBV	143884	276278	35.24%	4.455%
41	8.294	2254	2256	2257	rBV	245	121	0.02%	0.002%
42	8.429	2296	2298	2301	rBB2	251	139	0.02%	0.002%
43	8.661	2368	2370	2373	rBV	171	134	0.02%	0.002%
44	8.735	2391	2393	2398	rBB	149	149	0.02%	0.002%
45	8.786	2398	2409	2429	rBV	378686	628350	80.16%	10.133%
46	8.992	2469	2473	2476	rBV2	325	309	0.04%	0.005%
47	9.050	2487	2491	2494	rBB	153	125	0.02%	0.002%
48	9.085	2499	2502	2505	rBV3	378	206	0.03%	0.003%
49	9.227	2544	2546	2551	rBV	141	163	0.02%	0.003%
50	9.275	2557	2561	2564	rBB	325	219	0.03%	0.004%
51	9.365	2585	2589	2592	rBB2	247	217	0.03%	0.003%
52	9.394	2595	2598	2600	rBV	377	230	0.03%	0.004%
53	9.522	2634	2638	2641	rBB	255	219	0.03%	0.004%
54	9.580	2654	2656	2659	rBB	222	139	0.02%	0.002%
55	9.709	2692	2696	2698	rBB	157	125	0.02%	0.002%
56	9.741	2704	2706	2708	rBV	226	153	0.02%	0.002%
57	9.841	2734	2737	2741	rBB2	271	173	0.02%	0.003%
58	10.063	2804	2806	2808	rBV	243	140	0.02%	0.002%
59	10.153	2823	2834	2858	rBV2	250676	396103	50.53%	6.388%
60	10.284	2873	2875	2876	rBB2	333	128	0.02%	0.002%
61	10.638	2982	2985	2987	rBB2	255	140	0.02%	0.002%
62	10.985	3089	3093	3095	rBB2	273	172	0.02%	0.003%
63	11.085	3121	3124	3127	rBB2	272	174	0.02%	0.003%
64	11.120	3130	3135	3137	rBV	871	682	0.09%	0.011%
65	11.185	3145	3155	3177	rBV	445482	678848	86.60%	10.947%
66	11.403	3221	3223	3226	rBB2	253	140	0.02%	0.002%
67	11.436	3229	3233	3237	rBB2	330	273	0.03%	0.004%
68	11.561	3260	3272	3292	rBV	483562	747598	95.37%	12.056%
69	11.815	3348	3351	3354	rBB	225	160	0.02%	0.003%
70	11.934	3385	3388	3390	rBB	343	194	0.02%	0.003%
71	11.966	3395	3398	3401	rBB	212	131	0.02%	0.002%
72	11.992	3402	3406	3410	rBB	212	201	0.03%	0.003%
73	12.072	3429	3431	3434	rBB	228	115	0.01%	0.002%
74	12.194	3461	3469	3470	rBV4	1339	1463	0.19%	0.024%
75	12.265	3488	3491	3493	rBB	256	134	0.02%	0.002%
76	12.291	3497	3499	3501	rBV	222	150	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
 Data File : VV033349.D
 Acq On : 14 Dec 2023 21:00
 Operator : SY/MD
 Sample : VV1214MBL02
 Misc : 5.00g/5.0mL/100uL/5.00mL/MSVOA_V/MEOH
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK245

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Title : VOC Analysis

77	12.339	3510	3514	3517	rBB	154	124	0.02%	0.002%
78	12.429	3538	3542	3544	rBB	243	145	0.02%	0.002%
79	12.490	3557	3561	3565	rBB	183	186	0.02%	0.003%
80	12.516	3566	3569	3572	rBV2	308	205	0.03%	0.003%
81	12.587	3586	3591	3599	rVB7	1616	2086	0.27%	0.034%
82	12.641	3604	3608	3609	rBV	368	211	0.03%	0.003%
83	12.725	3631	3634	3636	rBV	234	159	0.02%	0.003%
84	12.757	3641	3644	3646	rBV	263	141	0.02%	0.002%
85	12.808	3656	3660	3662	rBB	365	198	0.03%	0.003%
86	12.985	3713	3715	3716	rBV	247	120	0.02%	0.002%
87	13.040	3729	3732	3736	rBB2	239	174	0.02%	0.003%
88	13.091	3746	3748	3750	rBV	280	194	0.02%	0.003%
89	13.127	3755	3759	3762	rBV2	390	295	0.04%	0.005%
90	13.181	3774	3776	3777	rBV2	423	179	0.02%	0.003%
91	13.448	3850	3859	3872	rBV2	9556	16412	2.09%	0.265%
92	13.574	3895	3898	3901	rBV2	355	259	0.03%	0.004%
93	13.686	3924	3933	3944	rBV8	3623	5627	0.72%	0.091%
94	13.876	3990	3992	3994	rBV2	325	218	0.03%	0.004%
95	13.950	4011	4015	4019	rBB	457	267	0.03%	0.004%
96	14.091	4055	4059	4060	rBV	488	315	0.04%	0.005%
97	14.194	4088	4091	4097	rBV2	351	312	0.04%	0.005%
98	14.252	4106	4109	4110	rBV	317	194	0.02%	0.003%
99	14.259	4110	4111	4112	rBV	421	124	0.02%	0.002%
100	14.300	4122	4124	4129	rBV	556	447	0.06%	0.007%

Sum of corrected areas: 6201043

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
Data File : VV033349.D
Acq On : 14 Dec 2023 21:00
Operator : SY/MD
Sample : VV1214MBL02
Misc : 5.00g/5.0mL/100uL/5.00mL/MSVOA_V/MEOH
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK245

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
Data File : VV033349.D
Acq On : 14 Dec 2023 21:00
Operator : SY/MD
Sample : VV1214MBL02
Misc : 5.00g/5.0mL/100uL/5.00mL/MSVOA_V/MEOH
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK245

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------