

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121423\
 Data File : VW033368.D
 Acq On : 15 Dec 2023 04:20
 Operator : SY/MD
 Sample : 05802-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F7B31

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M

Title : VOC Analysis

Signal : TIC: VW033368.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.169	35	40	51	rVB	4526	5409	0.01%	0.004%
2	1.281	67	75	100	rBV	4280690	4475812	4.95%	3.419%
3	1.532	146	153	167	rVB	46674	55059	0.06%	0.042%
4	2.066	308	319	339	rVB3	194843	332388	0.37%	0.254%
5	2.156	341	347	352	rBV3	2069	2647	0.00%	0.002%
6	2.249	368	376	386	rBV3	2269	4777	0.01%	0.004%
7	2.449	432	438	446	rVB4	631	759	0.00%	0.001%
8	2.555	465	471	472	rBV2	853	620	0.00%	0.000%
9	2.696	503	515	541	rBV2	193699	350462	0.39%	0.268%
10	2.809	549	550	553	rVV	271	108	0.00%	0.000%
11	3.111	631	644	664	rBV	52314	112057	0.12%	0.086%
12	3.214	664	676	690	rVV3	4842	11241	0.01%	0.009%
13	3.677	817	820	823	rBB	159	127	0.00%	0.000%
14	3.818	842	864	901	rBV2	36901790	90366841	100.00%	69.039%
15	4.828	1173	1178	1180	rBV2	509	408	0.00%	0.000%
16	4.956	1201	1218	1225	rBV2	218750	539516	0.60%	0.412%
17	5.233	1301	1304	1305	rBV2	574	343	0.00%	0.000%
18	5.394	1352	1354	1356	rBV	228	106	0.00%	0.000%
19	5.436	1366	1367	1369	rVB	278	105	0.00%	0.000%
20	5.532	1386	1397	1422	rBV	175201	364384	0.40%	0.278%
21	5.780	1472	1474	1480	rVB	201	156	0.00%	0.000%
22	5.837	1481	1492	1510	rBV2	29963	61944	0.07%	0.047%
23	5.989	1527	1539	1558	rBV2	111285	232979	0.26%	0.178%
24	6.133	1579	1584	1586	rBV3	293	282	0.00%	0.000%
25	6.143	1586	1587	1591	rVB2	403	215	0.00%	0.000%
26	6.178	1596	1598	1600	rBB2	346	135	0.00%	0.000%
27	6.911	1816	1826	1848	rBV	70324	130740	0.14%	0.100%
28	7.046	1865	1868	1874	rVB	487	297	0.00%	0.000%
29	7.152	1899	1901	1905	rBB	284	225	0.00%	0.000%
30	7.243	1918	1929	1940	rBV	283076	478593	0.53%	0.366%
31	7.313	1941	1951	1976	rVB	1040708	1750308	1.94%	1.337%
32	7.551	2016	2025	2048	rVB2	54114	93504	0.10%	0.071%
33	7.709	2072	2074	2082	rBB2	339	326	0.00%	0.000%
34	7.744	2083	2085	2087	rBB	234	110	0.00%	0.000%
35	7.905	2115	2135	2155	rBV2	109369	207791	0.23%	0.159%
36	7.988	2159	2161	2163	rVB	350	139	0.00%	0.000%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121423\
 Data File : VW033368.D
 Acq On : 15 Dec 2023 04:20
 Operator : SY/MD
 Sample : 05802-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F7B31

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Title : VOC Analysis

37	8.024	2163	2172	2196	rBV	112706	197768	0.22%	0.151%
38	8.812	2397	2417	2446	rBV	2858935	5036980	5.57%	3.848%
39	9.075	2489	2499	2519	rVB	30438	52899	0.06%	0.040%
40	9.178	2529	2531	2532	rBV	371	140	0.00%	0.000%
41	9.239	2545	2550	2552	rBV	283	251	0.00%	0.000%
42	9.397	2596	2599	2602	rBB	284	205	0.00%	0.000%
43	9.480	2615	2625	2643	rBV	30567	48250	0.05%	0.037%
44	9.561	2648	2650	2652	rVB	424	193	0.00%	0.000%
45	9.603	2661	2663	2665	rBV	159	103	0.00%	0.000%
46	9.869	2739	2746	2753	rBV3	1775	2506	0.00%	0.002%
47	10.111	2819	2821	2823	rBV	355	188	0.00%	0.000%
48	10.152	2823	2834	2857	rVB2	205972	321827	0.36%	0.246%
49	10.249	2862	2864	2867	rVB2	233	123	0.00%	0.000%
50	10.294	2870	2878	2881	rBV3	3918	5400	0.01%	0.004%
51	10.480	2927	2936	2948	rVV3	6707	9899	0.01%	0.008%
52	10.525	2948	2950	2952	rVB	296	140	0.00%	0.000%
53	10.676	2987	2997	3008	rBV	25280	37745	0.04%	0.029%
54	10.853	3042	3052	3069	rBV2	46956	69753	0.08%	0.053%
55	10.914	3069	3071	3073	rVB	276	148	0.00%	0.000%
56	10.943	3077	3080	3083	rBB	152	125	0.00%	0.000%
57	10.998	3089	3097	3099	rBV2	1607	2210	0.00%	0.002%
58	11.117	3121	3134	3147	rBV	3764988	5669131	6.27%	4.331%
59	11.210	3147	3163	3176	rVV	6310852	9905397	10.96%	7.568%
60	11.484	3233	3248	3261	rBV3	66456	163840	0.18%	0.125%
61	11.580	3261	3278	3301	rBV2	4894021	8099056	8.96%	6.188%
62	11.760	3325	3334	3345	rVB	36731	56022	0.06%	0.043%
63	11.850	3352	3362	3369	rBV	63561	98836	0.11%	0.076%
64	11.956	3384	3395	3412	rVB	201928	304946	0.34%	0.233%
65	12.078	3416	3433	3452	rVB3	28870	70328	0.08%	0.054%
66	12.188	3455	3467	3478	rBV6	17709	33171	0.04%	0.025%
67	12.255	3478	3488	3498	rBV	89227	131413	0.15%	0.100%
68	12.352	3510	3518	3528	rVB	176038	254663	0.28%	0.195%
69	12.406	3529	3535	3550	rVB	17568	27121	0.03%	0.021%
70	12.493	3553	3562	3569	rBV3	10203	15626	0.02%	0.012%
71	12.664	3606	3615	3629	rVB	53360	81826	0.09%	0.063%
72	12.734	3629	3637	3645	rBV4	3858	6088	0.01%	0.005%
73	12.821	3646	3664	3692	rVB2	261342	450526	0.50%	0.344%
74	12.943	3694	3702	3709	rBV2	11082	16013	0.02%	0.012%
75	13.107	3746	3753	3754	rBV2	2315	2218	0.00%	0.002%
76	13.210	3775	3785	3797	rBV3	34420	54302	0.06%	0.041%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
 Data File : VV033368.D
 Acq On : 15 Dec 2023 04:20
 Operator : SY/MD
 Sample : 05802-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F7B31

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
 Title : VOC Analysis

77	13.342	3819	3826	3837	rVB2	13173	19574	0.02%	0.015%
78	13.426	3847	3852	3853	rBV	393	216	0.00%	0.000%
79	13.448	3853	3859	3864	rBV4	2411	3352	0.00%	0.003%
80	13.564	3880	3895	3909	rBV	7793	13061	0.01%	0.010%
81	13.663	3916	3926	3934	rBV5	3997	7958	0.01%	0.006%
82	13.741	3949	3950	3954	rBV	365	262	0.00%	0.000%
83	13.795	3961	3967	3970	rBV3	510	514	0.00%	0.000%
84	13.815	3970	3973	3974	rVV	395	203	0.00%	0.000%
85	13.850	3974	3984	3994	rVB3	6766	11005	0.01%	0.008%
86	13.905	3999	4001	4007	rVV3	328	275	0.00%	0.000%
87	13.930	4007	4009	4013	rVB2	343	234	0.00%	0.000%
88	13.963	4014	4019	4022	rBV2	451	519	0.00%	0.000%
89	13.982	4023	4025	4030	rVV4	920	910	0.00%	0.001%
90	14.024	4031	4038	4053	rVB4	6151	11313	0.01%	0.009%
91	14.088	4053	4058	4060	rBV3	661	495	0.00%	0.000%
92	14.126	4067	4070	4074	rBV4	991	1030	0.00%	0.001%
93	14.229	4096	4102	4104	rBV5	2548	2263	0.00%	0.002%
94	14.364	4141	4144	4147	rBV2	522	392	0.00%	0.000%
95	14.480	4178	4180	4181	rBV2	340	159	0.00%	0.000%
96	14.516	4187	4191	4193	rBV2	896	714	0.00%	0.001%
97	14.554	4201	4203	4208	rVB	323	143	0.00%	0.000%
98	14.580	4208	4211	4217	rBV4	602	710	0.00%	0.001%
99	14.763	4259	4268	4281	rBV2	5448	9302	0.01%	0.007%
100	15.130	4380	4382	4385	rBV4	592	440	0.00%	0.000%

Sum of corrected areas: 130893333

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
Data File : VV033368.D
Acq On : 15 Dec 2023 04:20
Operator : SY/MD
Sample : 05802-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F7B31

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121423\
Data File : VV033368.D
Acq On : 15 Dec 2023 04:20
Operator : SY/MD
Sample : 05802-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F7B31

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120123WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------