

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121520\
 Data File : VV019656.D
 Acq On : 15 Dec 2020 17:59
 Operator : SY/MD
 Sample : L5024-17
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AZ2

Quant Time: Dec 16 01:18:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 16 00:27:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	593922	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	552144	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	254449	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	228777	53.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	107.44%
7) Chloroethane-d5	1.57	69	182651	54.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	108.76%
11) 1,1-Dichloroethene-d2	2.11	63	320179	40.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.02%
21) 2-Butanone-d5	3.89	46	311972	134.77	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	134.77%#
24) Chloroform-d	4.35	84	384894	50.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.30%
26) 1,2-Dichloroethane-d4	5.04	65	267970	53.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.84%
32) Benzene-d6	5.05	84	786589	53.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.82%
36) 1,2-Dichloropropane-d6	6.07	67	249799	54.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	108.30%
41) Toluene-d8	7.32	98	695875	52.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.96%
43) trans-1,3-Dichloropropene-	7.62	79	119852	45.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.36%
47) 2-Hexanone-d5	8.09	63	223618	123.51	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	123.51%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	311247	49.88	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.76%
64) 1,2-Dichlorobenzene-d4	11.63	152	250974	52.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.54%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121520\
Data File : VV019656.D
Acq On : 15 Dec 2020 17:59
Operator : SY/MD
Sample : L5024-17
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AZ2

Quant Time: Dec 16 01:18:05 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 16 00:27:25 2020
Response via : Initial Calibration

