

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121521\
 Data File : VV023994.D
 Acq On : 15 Dec 2021 20:26
 Operator : SY/MD
 Sample : M5090-07
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3E9

Manual Integrations
 APPROVED

Reviewed By : John Carlone 12/16/2021
 Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 16 04:52:50 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 16 04:44:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	94773	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	102492	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	49975	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	15878	3.116	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.400%
7) Chloroethane-d5	1.568	69	17446	4.104	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.000%
11) 1,1-Dichloroethene-d2	2.108	63	23706	2.384	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	47.600%#
20) 2-Butanone-d5	3.902	46	66395	66.702	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	133.400%#
24) Chloroform-d	4.349	84	51142	4.432	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.600%
26) 1,2-Dichloroethane-d4	5.034	65	26884	5.003	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.000%
32) Benzene-d6	5.050	84	77405	3.813	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.200%
36) 1,2-Dichloropropane-d6	6.072	67	27551	4.498	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.000%
41) Toluene-d8	7.317	98	59690	3.266	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	65.400%#
43) trans-1,3-Dichloroprop...	7.629	79	9579	3.770	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.400%
46) 2-Hexanone-d5	8.092	63	49748	43.738	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.480%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	22053	4.341	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.800%
66) 1,2-Dichlorobenzene-d4	11.625	152	32377	4.850	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.000%
Target Compounds						
3) Chloromethane	1.240	50	1132	0.161	ug/L	89
13) Acetone	2.208	43	18046	22.661	ug/L	88
21) 2-Butanone	4.008	43	7406m	6.509	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121521\
Data File : VV023994.D
Acq On : 15 Dec 2021 20:26
Operator : SY/MD
Sample : M5090-07
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BG3E9

Manual Integrations
APPROVED

Reviewed By : John Carlone 12/16/2021
Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 16 04:52:50 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 16 04:44:29 2021
Response via : Initial Calibration









#3
Chloromethane
Concen: 0.161 ug/L
RT: 1.240 min Scan# 61
Delta R.T. 0.000 min
Lab File: VV023994.D
Acq: 15 Dec 2021 20:26

Instrument :
MSVOA_V
ClientSampleId :
BG3E9

Tgt Ion: 50 Resp: 113
Ion Ratio Lower Upper
50 100
52 37.6 22.0 41.0




Manual Integrations
APPROVED


Reviewed By :John Carlone 12/16/2021
Supervised By :Mahesh Dadoda 12/22/2021



#13
Acetone
Concen: 22.661 ug/L
RT: 2.208 min Scan# 363
Delta R.T. 0.010 min
Lab File: VV023994.D
Acq: 15 Dec 2021 20:26


Tgt Ion: 43 Resp: 18046
Ion Ratio Lower Upper
43 100
58 26.1 0.0 41.4





#21
2-Butanone
Concen: 6.509 ug/L m
RT: 4.008 min Scan# 91
Delta R.T. 0.019 min
Lab File: VV023994.D
Acq: 15 Dec 2021 20:26

Instrument :
MSVOA_V
ClientSampleId :
BG3E9



Tgt Ion: 43 Resp: 7400
Ion Ratio Lower Upper
43 100
72 6.2 11.1 33.1

Manual Integrations
APPROVED

Reviewed By :John Carlone 12/16/2021
Supervised By :Mahesh Dadoda 12/22/2021

