

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019672.D
 Acq On : 16 Dec 2020 14:12
 Operator : SY/MD
 Sample : L5098-02
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4J7

Quant Time: Dec 17 00:51:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 17 00:30:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	600256	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	560932	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	255093	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	209567	48.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.38%
7) Chloroethane-d5	1.57	69	170929	50.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.70%
11) 1,1-Dichloroethene-d2	2.11	63	299497	37.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.98%
21) 2-Butanone-d5	3.89	46	294040	125.68	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	125.68%
24) Chloroform-d	4.35	84	375660	48.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.86%
26) 1,2-Dichloroethane-d4	5.04	65	260410	51.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.74%
32) Benzene-d6	5.05	84	762273	50.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.90%
36) 1,2-Dichloropropane-d6	6.07	67	242405	51.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.44%
41) Toluene-d8	7.32	98	672324	49.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.82%
43) trans-1,3-Dichloropropene-	7.62	79	113433	42.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.10%
47) 2-Hexanone-d5	8.09	63	197759	107.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.52%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	293568	46.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.62%
64) 1,2-Dichlorobenzene-d4	11.63	152	243214	51.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.00%

Target Compounds					Ovalue
13) Acetone	2.18	43	8033	4.030 ug/L	78

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121620\
Data File : VV019672.D
Acq On : 16 Dec 2020 14:12
Operator : SY/MD
Sample : L5098-02
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4J7

Quant Time: Dec 17 00:51:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 17 00:30:07 2020
Response via : Initial Calibration

