

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019671.D
 Acq On : 16 Dec 2020 13:48
 Operator : SY/MD
 Sample : L5098-01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4J1

Quant Time: Dec 17 00:48:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 17 00:30:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	584466	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	545692	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	243725	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	206409	49.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.50%
7) Chloroethane-d5	1.57	69	167754	50.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.50%
11) 1,1-Dichloroethene-d2	2.11	63	292696	37.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.26%
21) 2-Butanone-d5	3.89	46	292623	128.46	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	128.46%
24) Chloroform-d	4.35	84	374094	49.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.06%
26) 1,2-Dichloroethane-d4	5.04	65	258592	52.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.78%
32) Benzene-d6	5.05	84	752935	51.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.46%
36) 1,2-Dichloropropane-d6	6.07	67	238471	52.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.62%
41) Toluene-d8	7.32	98	662562	50.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.12%
43) trans-1,3-Dichloropropene-	7.62	79	111050	42.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.64%
47) 2-Hexanone-d5	8.09	63	196590	109.87	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	109.87%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	289380	46.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.86%
64) 1,2-Dichlorobenzene-d4	11.63	152	237944	52.23	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.46%


Target Compounds					Ovalue
13) Acetone	2.18	43	12088	6.229 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121620\
Data File : VV019671.D
Acq On : 16 Dec 2020 13:48
Operator : SY/MD
Sample : L5098-01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4J1

Quant Time: Dec 17 00:48:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 17 00:30:07 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.229 ug/L
 RT: 2.18 min Scan# 340
 Delta R.T. 0.01 min
 Lab File: VV019671.D
 Acq: 16 Dec 2020 13:48

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4J1

Tot Ion: 43 Resp: 12088
 Ion Ratio Lower Upper
 43 100
 58 34.1 0.0 61.6

