

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019684.D
 Acq On : 16 Dec 2020 18:59
 Operator : SY/MD
 Sample : L5062-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B27

Quant Time: Dec 17 01:51:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 17 00:30:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	553452	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	507865	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	226200	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	198123	49.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.84%
7) Chloroethane-d5	1.57	69	166188	53.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.18%
11) 1,1-Dichloroethene-d2	2.11	63	269507	36.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.18%
21) 2-Butanone-d5	3.89	46	304048	140.95	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	140.95%#
24) Chloroform-d	4.35	84	366025	51.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.34%
26) 1,2-Dichloroethane-d4	5.04	65	257898	55.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.34%
32) Benzene-d6	5.05	84	718010	53.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.02%
36) 1,2-Dichloropropane-d6	6.07	67	237545	55.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	111.96%
41) Toluene-d8	7.32	98	610230	50.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.08%
43) trans-1,3-Dichloropropene-	7.63	79	107101	44.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.76%
47) 2-Hexanone-d5	8.09	63	201952	121.27	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	121.27%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	300671	52.39	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.78%
64) 1,2-Dichlorobenzene-d4	11.63	152	222860	52.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.42%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121620\
Data File : VV019684.D
Acq On : 16 Dec 2020 18:59
Operator : SY/MD
Sample : L5062-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B27

Quant Time: Dec 17 01:51:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 17 00:30:07 2020
Response via : Initial Calibration

