

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019683.D
 Acq On : 16 Dec 2020 18:35
 Operator : SY/MD
 Sample : L5062-15
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B26

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	62	68	82	rVB	352429	342972	14.80%	1.939%
2	1.569	142	149	163	rVB	278544	310838	13.42%	1.757%
3	2.110	308	317	348	rVB	549999	848653	36.63%	4.797%
4	2.740	511	513	514	rBV2	843	208	0.01%	0.001%
5	2.778	521	525	530	rVB4	1275	1204	0.05%	0.007%
6	2.846	542	546	550	rBV4	659	700	0.03%	0.004%
7	2.936	571	574	575	rBV2	402	216	0.01%	0.001%
8	3.023	597	601	602	rBV2	476	286	0.01%	0.002%
9	3.094	621	623	626	rVB2	489	270	0.01%	0.002%
10	3.174	646	648	650	rBV2	610	369	0.02%	0.002%
11	3.219	660	662	667	rVB2	598	269	0.01%	0.002%
12	3.241	667	669	671	rVV2	330	148	0.01%	0.001%
13	3.270	673	678	683	rBV3	776	781	0.03%	0.004%
14	3.312	689	691	694	rBV	482	239	0.01%	0.001%
15	3.396	715	717	721	rVB	389	173	0.01%	0.001%
16	3.460	733	737	740	rVB2	285	251	0.01%	0.001%
17	3.483	742	744	747	rBV2	481	273	0.01%	0.002%
18	3.557	765	767	771	rVB2	564	326	0.01%	0.002%
19	3.695	807	810	812	rBV2	340	168	0.01%	0.001%
20	3.708	812	814	817	rBV3	452	296	0.01%	0.002%
21	3.733	820	822	829	rVB3	520	477	0.02%	0.003%
22	3.794	834	841	844	rBV2	493	478	0.02%	0.003%
23	3.833	847	853	855	rBV3	479	483	0.02%	0.003%
24	3.852	857	859	860	rBV	283	127	0.01%	0.001%
25	3.891	860	871	915	rBV2	169733	518020	22.36%	2.928%
26	4.354	998	1015	1048	rBV	361135	904071	39.02%	5.110%
27	4.682	1115	1117	1120	rBV2	290	145	0.01%	0.001%
28	4.701	1120	1123	1125	rBV2	368	239	0.01%	0.001%
29	4.740	1133	1135	1136	rBV	358	132	0.01%	0.001%
30	4.817	1156	1159	1163	rBV2	654	419	0.02%	0.002%
31	4.846	1163	1168	1170	rVV4	644	529	0.02%	0.003%
32	4.859	1170	1172	1175	rVB2	668	325	0.01%	0.002%
33	4.884	1175	1180	1183	rBV4	458	494	0.02%	0.003%
34	4.917	1187	1190	1193	rBV3	384	300	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019683.D
 Acq On : 16 Dec 2020 18:35
 Operator : SY/MD
 Sample : L5062-15
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B26

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

35	4.965	1202	1205	1207	rBV3	429	242	0.01%	0.001%
36	5.052	1213	1232	1268	rBV2	897973	2317047	100.00%	13.097%
37	5.489	1363	1368	1374	rBV7	1081	1069	0.05%	0.006%
38	5.621	1396	1409	1436	rBV	734615	1471189	63.49%	8.316%
39	5.913	1489	1500	1519	rBV5	17036	36036	1.56%	0.204%
40	6.074	1535	1550	1576	rBV	520397	1049389	45.29%	5.932%
41	6.325	1626	1628	1629	rBV2	526	221	0.01%	0.001%
42	6.389	1644	1648	1650	rBV2	646	467	0.02%	0.003%
43	6.447	1664	1666	1670	rBV4	428	219	0.01%	0.001%
44	6.470	1672	1673	1675	rBV2	362	190	0.01%	0.001%
45	6.505	1682	1684	1687	rBV2	515	338	0.01%	0.002%
46	6.547	1690	1697	1700	rVB5	762	815	0.04%	0.005%
47	6.569	1700	1704	1708	rVB2	546	521	0.02%	0.003%
48	6.601	1708	1714	1717	rBV4	783	900	0.04%	0.005%
49	6.666	1732	1734	1736	rBV3	415	208	0.01%	0.001%
50	6.804	1775	1777	1782	rBV3	469	310	0.01%	0.002%
51	6.868	1794	1797	1801	rVV2	574	600	0.03%	0.003%
52	6.917	1805	1812	1814	rBV3	426	494	0.02%	0.003%
53	6.990	1823	1835	1864	rBV	275474	508675	21.95%	2.875%
54	7.267	1920	1921	1923	rBV2	513	269	0.01%	0.002%
55	7.318	1925	1937	1975	rVV	1058114	1829699	78.97%	10.343%
56	7.624	2023	2032	2059	rBV	192936	334525	14.44%	1.891%
57	7.920	2121	2124	2125	rBV2	584	347	0.01%	0.002%
58	7.981	2137	2143	2146	rBV4	2305	2560	0.11%	0.014%
59	8.052	2163	2165	2166	rBV	580	212	0.01%	0.001%
60	8.090	2167	2177	2210	rVV	602124	1090132	47.05%	6.162%
61	8.807	2398	2400	2402	rVB2	571	218	0.01%	0.001%
62	8.855	2402	2415	2445	rBV	1101610	1793430	77.40%	10.138%
63	9.154	2504	2508	2512	rBV5	791	668	0.03%	0.004%
64	9.244	2532	2536	2544	rBV5	1215	1495	0.06%	0.008%
65	9.302	2552	2554	2558	rBV3	363	363	0.02%	0.002%
66	9.412	2586	2588	2589	rBV2	327	117	0.01%	0.001%
67	9.457	2600	2602	2605	rVB3	516	183	0.01%	0.001%
68	9.486	2609	2611	2616	rVB3	726	530	0.02%	0.003%
69	9.524	2616	2623	2624	rBV2	640	536	0.02%	0.003%
70	9.569	2636	2637	2640	rVB2	369	116	0.01%	0.001%
71	9.608	2647	2649	2651	rVB2	337	154	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121620\
 Data File : VV019683.D
 Acq On : 16 Dec 2020 18:35
 Operator : SY/MD
 Sample : L5062-15
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B26

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Title : VOC Analysis

72	9.688	2668	2674	2677	rBV4	618	875	0.04%	0.005%
73	9.759	2695	2696	2698	rBV2	400	128	0.01%	0.001%
74	9.788	2703	2705	2709	rVB3	768	447	0.02%	0.003%
75	9.932	2745	2750	2751	rBV2	547	386	0.02%	0.002%
76	9.990	2767	2768	2770	rVB	401	147	0.01%	0.001%
77	10.010	2771	2774	2779	rVB3	465	318	0.01%	0.002%
78	10.035	2779	2782	2783	rBV3	540	293	0.01%	0.002%
79	10.090	2797	2799	2802	rBV	421	305	0.01%	0.002%
80	10.158	2817	2820	2822	rBV	229	147	0.01%	0.001%
81	10.222	2826	2840	2862	rBV	634243	1005857	43.41%	5.686%
82	10.383	2887	2890	2891	rBV	1027	551	0.02%	0.003%
83	10.444	2906	2909	2912	rBV4	576	381	0.02%	0.002%
84	10.563	2944	2946	2948	rBV	409	188	0.01%	0.001%
85	10.617	2961	2963	2964	rBV	305	117	0.01%	0.001%
86	10.788	3013	3016	3017	rBV	459	307	0.01%	0.002%
87	10.910	3052	3054	3055	rBV2	377	134	0.01%	0.001%
88	10.994	3078	3080	3081	rBV	308	121	0.01%	0.001%
89	11.080	3104	3107	3111	rBV2	574	389	0.02%	0.002%
90	11.119	3118	3119	3127	rVB3	331	294	0.01%	0.002%
91	11.151	3127	3129	3131	rBV	381	245	0.01%	0.001%
92	11.193	3141	3142	3146	rBV	412	222	0.01%	0.001%
93	11.254	3149	3161	3185	rBV	1108674	1684353	72.69%	9.521%
94	11.630	3265	3278	3302	rBV	1031792	1613156	69.62%	9.119%
95	12.424	3524	3525	3527	rBV	369	211	0.01%	0.001%
96	12.521	3553	3555	3560	rBV2	433	284	0.01%	0.002%
97	12.688	3604	3607	3609	rBV	632	429	0.02%	0.002%
98	12.990	3699	3701	3702	rBV	397	166	0.01%	0.001%
99	13.566	3877	3880	3882	rBV2	616	437	0.02%	0.002%
100	13.765	3939	3942	3946	rBV2	801	723	0.03%	0.004%

Sum of corrected areas: 17690974

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV121620\
Data File : VV019683.D
Acq On : 16 Dec 2020 18:35
Operator : SY/MD
Sample : L5062-15
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0B26

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV121620\
Data File : VV019683.D
Acq On : 16 Dec 2020 18:35
Operator : SY/MD
Sample : L5062-15
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0B26

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc