

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121622\
 Data File : VV029703.D
 Acq On : 16 Dec 2022 17:22
 Operator : SY/MD
 Sample : N6034-16
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGPL7

Quant Time: Dec 16 20:20:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112322WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Dec 16 20:17:28 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.609	114	264199	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.844	117	244346	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.239	152	124245	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	48440	2.979	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	59.600%	
7) Chloroethane-d5	1.564	69	47356	3.979	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	79.600%	
11) 1,1-Dichloroethene-d2	2.104	63	68337	2.627	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	52.600%#	
20) 2-Butanone-d5	3.902	46	139433	51.264	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	102.520%	
24) Chloroform-d	4.339	84	117986	4.066	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	81.400%	
26) 1,2-Dichloroethane-d4	5.027	65	52802	4.135	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	82.800%	
32) Benzene-d6	5.043	84	233076	3.451	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	69.000%#	
36) 1,2-Dichloropropane-d6	6.063	67	75872	3.998	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	80.000%	
41) Toluene-d8	7.310	98	196120	3.077	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	61.600%#	
43) trans-1,3-Dichloroprop...	7.616	79	23439	3.204	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	64.000%	
46) 2-Hexanone-d5	8.088	63	128445	49.253	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.500%	
56) 1,1,2,2-Tetrachloroeth...	10.207	84	58508	4.997	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.000%	
66) 1,2-Dichlorobenzene-d4	11.612	152	84661	3.901	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	78.000%#	
Target Compounds						
13) Acetone	2.201	43	34196	17.291	ug/L	Qvalue 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121622\
Data File : VV029703.D
Acq On : 16 Dec 2022 17:22
Operator : SY/MD
Sample : N6034-16
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGPL7

Quant Time: Dec 16 20:20:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR112322WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Dec 16 20:17:28 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 17.291 ug/L
 RT: 2.201 min Scan# 30
 Delta R.T. -0.010 min
 Lab File: VV029703.D
 Acq: 16 Dec 2022 17:22

Instrument :
 MSVOA_V
 ClientSampleId :
 BGPL7

Tgt Ion:	43	Resp:	34196
Ion	Ratio	Lower	Upper
43	100		
58	31.3	0.0	70.8

