

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121719\
 Data File : VV014086.D
 Acq On : 17 Dec 2019 12:24
 Operator : SY/MD
 Sample : K6308-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0C82

Quant Time: Dec 18 07:10:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 18 06:35:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	713622	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	702173	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	296286	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	241715	58.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	117.14%
7) Chloroethane-d5	1.58	69	228319	53.00	ug/L	0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	106.00%
11) 1,1-Dichloroethene-d2	2.13	63	333214	36.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.02%
21) 2-Butanone-d5	3.92	46	297994	102.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.58%
24) Chloroform-d	4.40	84	448394	51.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.46%
26) 1,2-Dichloroethane-d4	5.08	65	280063	50.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.98%
32) Benzene-d6	5.10	84	895686	49.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.46%
36) 1,2-Dichloropropane-d6	6.11	67	275889	50.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.02%
41) Toluene-d8	7.36	98	742487	44.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.52%
43) trans-1,3-Dichloropropene-	7.66	79	114169	42.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.92%
47) 2-Hexanone-d5	8.13	63	201696	98.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.90%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	372245	47.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.14%
64) 1,2-Dichlorobenzene-d4	11.67	152	303756	52.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.40%

Target Compounds					Ovalue
13) Acetone	2.18	43	4069	0.956 ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121719\
Data File : VV014086.D
Acq On : 17 Dec 2019 12:24
Operator : SY/MD
Sample : K6308-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0C82

Quant Time: Dec 18 07:10:54 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration

