

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121719\
 Data File : VV014097.D
 Acq On : 17 Dec 2019 16:45
 Operator : SY/MD
 Sample : K6280-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF31

Quant Time: Dec 18 07:42:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 18 06:35:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	706073	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	671508	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	302716	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	211389	51.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	103.54%
7) Chloroethane-d5	1.58	69	204215	47.91	ug/L	0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.82%
11) 1,1-Dichloroethene-d2	2.13	63	299132	33.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.26%
21) 2-Butanone-d5	3.92	46	307220	106.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.89%
24) Chloroform-d	4.40	84	408920	47.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.36%
26) 1,2-Dichloroethane-d4	5.08	65	259285	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.42%
32) Benzene-d6	5.10	84	812320	46.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.36%
36) 1,2-Dichloropropane-d6	6.11	67	261605	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.18%
41) Toluene-d8	7.36	98	677622	42.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.44%
43) trans-1,3-Dichloropropene-	7.66	79	104757	41.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.44%
47) 2-Hexanone-d5	8.13	63	196054	100.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.52%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	346876	45.86	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.72%
64) 1,2-Dichlorobenzene-d4	11.67	152	276752	46.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.10%

Target Compounds					Ovalue
13) Acetone	2.19	43	4546	1.079 ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121719\
Data File : VV014097.D
Acq On : 17 Dec 2019 16:45
Operator : SY/MD
Sample : K6280-11
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF31

Quant Time: Dec 18 07:42:02 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration

