

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121719\
Quantitation Report (QT Reviewed)


Data File : VV014089.D
Acq On : 17 Dec 2019 13:35
Operator : SY/MD
Sample : K6280-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF21

Manual Integrations
APPROVED

apatel
12/18/2019 11:03:42 AM

Quant Time: Dec 18 07:18:24 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121719\
Quantitation Report (Qedit)




Data File : VV014089.D
Acq On : 17 Dec 2019 13:35
Operator : SY/MD
Sample : K6280-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF21

Manual Integrations
APPROVED

apatel
12/18/2019 11:03:42 AM

Quant Time: Dec 18 06:55:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration



TIC: VV014089.D

(11) 1,1-Dichloroethene-d2 (S)

2.071min (-0.055) 0.04ug/L

response 376

Ion	Exp%	Act%
63.00	100	100
98.00	79.40	65.43
65.00	23.60	22.87
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121719\
Quantitation Report (Qedit)




Data File : VV014089.D
Acq On : 17 Dec 2019 13:35
Operator : SY/MD
Sample : K6280-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampled :
BFF21

Manual Integrations
APPROVED

apatel
12/18/2019 11:03:42 AM

Quant Time: Dec 18 06:55:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration



TIC: VV014089.D

(11) 1,1-Dichloroethene-d2 (S)

2.129min (+0.003) 36.08ug/L m

response 324312

Ion Exp% Act%

63.00 100 100

98.00 79.40 0.08#

65.00 23.60 0.03#

0.00 0.00 0.00

7 MD
12/18/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV121719\
Quantitation Report (QT Reviewed)

Data File : VV014089.D
Acq On : 17 Dec 2019 13:35
Operator : SY/MD
Sample : K6280-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF21

Manual Integrations
APPROVED

apatel
12/18/2019 11:03:42 AM

Quant Time: Dec 18 07:18:24 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 06:35:10 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.66	114	702902	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	676002	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	299761	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	239602	58.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	117.88%
7) Chloroethane-d5	1.58	69	223121	52.58	ug/L	0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.16%
11) 1,1-Dichloroethene-d2	2.13	63	324312m	36.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.16%
21) 2-Butanone-d5	3.92	46	285028	99.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.61%
24) Chloroform-d	4.40	84	429537	50.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.62%
26) 1,2-Dichloroethane-d4	5.08	65	270184	49.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.88%
32) Benzene-d6	5.10	84	862304	49.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.46%
36) 1,2-Dichloropropane-d6	6.11	67	275423	52.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.76%
41) Toluene-d8	7.36	98	737007	46.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.30%
43) trans-1,3-Dichloropropene-	7.66	79	112669	44.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.08%
47) 2-Hexanone-d5	8.13	63	190159	96.85	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.85%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	363296	47.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.44%
64) 1,2-Dichlorobenzene-d4	11.67	152	297683	50.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.12%

Target Compounds				Qvalue	
13) Acetone	2.18	43	10457	2.494 ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

7mE
12/18/19