

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121721\
 Data File : VW024056.D
 Acq On : 17 Dec 2021 11:55
 Operator : SY/MD
 Sample : M5090-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3E1

Manual Integrations
 APPROVED

Reviewed By : John Carlone 12/22/2021
 Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 18 01:44:16 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Dec 18 01:42:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	88942	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	93592	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	46387	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	22632	4.733	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	94.600%	
7) Chloroethane-d5	1.564	69	19536	4.897	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	98.000%	
11) 1,1-Dichloroethene-d2	2.104	63	34205	3.665	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	73.200%	
20) 2-Butanone-d5	3.895	46	42066	45.031	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	90.060%	
24) Chloroform-d	4.346	84	49549	4.575	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.400%	
26) 1,2-Dichloroethane-d4	5.034	65	24584	4.875	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.600%	
32) Benzene-d6	5.050	84	94045	5.073	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	101.400%	
36) 1,2-Dichloropropane-d6	6.069	67	26278	4.699	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.000%	
41) Toluene-d8	7.317	98	82565	4.947	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.000%	
43) trans-1,3-Dichloroprop...	7.625	79	9563	4.122	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	82.400%	
46) 2-Hexanone-d5	8.088	63	31457	30.287	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	60.580%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	17270	3.722	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	74.400%	
66) 1,2-Dichlorobenzene-d4	11.625	152	32068	5.175	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	103.600%	
Target Compounds						
13) Acetone	2.178	43	7868m	10.528	ug/L	
33) Benzene	5.101	78	2583	0.098	ug/L	100
42) Toluene	7.397	91	4509	0.151	ug/L	99
63) 1,2,4-Trimethylbenzene	10.918	105	1705	0.076	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121721\
Data File : VV024056.D
Acq On : 17 Dec 2021 11:55
Operator : SY/MD
Sample : M5090-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BG3E1

Manual Integrations
APPROVED

Reviewed By : John Carlone 12/22/2021
Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 18 01:44:16 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Dec 18 01:42:59 2021
Response via : Initial Calibration









#13
Acetone
Concen: 10.528 ug/L m
RT: 2.178 min Scan# 31
Delta R.T. -0.010 min
Lab File: VV024056.D
Acq: 17 Dec 2021 11:55

Instrument :
MSVOA_V
ClientSampleId :
BG3E1

Tgt Ion: 43 Resp: 786
Ion Ratio Lower Upper
43 100
58 29.5 0.0 41.4




Manual Integrations
APPROVED


Reviewed By :John Carlone 12/22/2021
Supervised By :Mahesh Dadoda 12/22/2021



#33
Benzene
Concen: 0.098 ug/L
RT: 5.101 min Scan# 1263
Delta R.T. 0.003 min
Lab File: VV024056.D
Acq: 17 Dec 2021 11:55

Tgt Ion: 78 Resp: 2583





#42

Toluene

Concen: 0.151 ug/L

RT: 7.397 min Scan# 1973

Delta R.T. 0.013 min

Lab File: VV024056.D

Acq: 17 Dec 2021 11:55

Instrument :

MSVOA_V

ClientSampleId :

BG3E1

Tgt Ion: 91 Resp: 4509

Ion Ratio Lower Upper

91 100





92 60.4 41.5 77.1

Manual Integrations

APPROVED

Reviewed By :John Carlone 12/22/2021

Supervised By :Mahesh Dadoda 12/22/2021



#63

1,2,4-Trimethylbenzene

Concen: 0.076 ug/L

RT: 10.918 min Scan# 3072

Delta R.T. 0.003 min

Lab File: VV024056.D

Acq: 17 Dec 2021 11:55

Tgt Ion:105 Resp: 1705

Ion Ratio Lower Upper

105 100

120 54.6 36.7 55.1

