

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121819\
 Data File : VV014113.D
 Acq On : 18 Dec 2019 11:47
 Operator : SY/MD
 Sample : K6314-10
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFF11

Quant Time: Dec 19 07:41:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 19 07:06:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	727114	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	693041	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	311568	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	216376	51.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.90%
7) Chloroethane-d5	1.58	69	203331	46.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.64%
11) 1,1-Dichloroethene-d2	2.13	63	295481	31.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.54%
21) 2-Butanone-d5	3.92	46	286009	96.63	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.63%
24) Chloroform-d	4.40	84	417229	47.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.48%
26) 1,2-Dichloroethane-d4	5.08	65	272162	48.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.26%
32) Benzene-d6	5.10	84	843844	46.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.98%
36) 1,2-Dichloropropane-d6	6.12	67	267028	49.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.08%
41) Toluene-d8	7.36	98	694237	42.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.80%
43) trans-1,3-Dichloropropene-	7.66	79	111340	42.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.90%
47) 2-Hexanone-d5	8.13	63	185111	91.96	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.96%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	349178	44.73	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.46%
64) 1,2-Dichlorobenzene-d4	11.67	152	292844	47.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.72%


Target Compounds				Ovalue
13) Acetone	2.18	43	6387	1.472 ug/L 81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121819\
Data File : VV014113.D
Acq On : 18 Dec 2019 11:47
Operator : SY/MD
Sample : K6314-10
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFF11

Quant Time: Dec 19 07:41:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM120219WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 19 07:06:05 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.472 ug/L

RT: 2.18 min Scan# 340

Delta R.T. 0.00 min

Lab File: VV014113.D

Acq: 18 Dec 2019 11:47


Instrument :
MSVOA_V
ClientSampleId :
BFF11

Tot Ion: 43 Resp: 6387

Ion Ratio Lower Upper

43 100

58 40.7 0.0 60.8



Abundance Ion 43.00 (42.70 to 43.70): VV0

Ion 58.00 (57.70 to 58.70): VV0

