

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121820\
 Data File : VV019691.D
 Acq On : 18 Dec 2020 11:39
 Operator : SY/MD
 Sample : VV1218WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK72

Quant Time: Dec 19 07:49:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 19 05:26:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	642116	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	596829	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	294331	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	203397	44.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.34%
7) Chloroethane-d5	1.57	69	169158	46.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.16%
11) 1,1-Dichloroethene-d2	2.11	63	299662	35.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.14%
21) 2-Butanone-d5	3.88	46	295322	118.00	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	118.00%
24) Chloroform-d	4.35	84	380477	45.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.70%
26) 1,2-Dichloroethane-d4	5.03	65	257309	47.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.90%
32) Benzene-d6	5.05	84	760004	47.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.50%
36) 1,2-Dichloropropane-d6	6.07	67	245342	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.40%
41) Toluene-d8	7.32	98	661855	46.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.36%
43) trans-1,3-Dichloropropene-	7.62	79	121872	42.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.94%
47) 2-Hexanone-d5	8.09	63	201672	103.05	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.05%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	301763	44.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.48%
64) 1,2-Dichlorobenzene-d4	11.63	152	251502	45.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.42%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121820\
Data File : VV019691.D
Acq On : 18 Dec 2020 11:39
Operator : SY/MD
Sample : VV1218WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK72

Quant Time: Dec 19 07:49:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 19 05:26:51 2020
Response via : Initial Calibration

