

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121820\
 Data File : VV019699.D
 Acq On : 18 Dec 2020 14:56
 Operator : SY/MD
 Sample : L5099-05 200X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q0

Quant Time: Dec 19 07:58:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 19 05:26:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	596119	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	557075	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	257370	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	201847	47.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.44%
7) Chloroethane-d5	1.57	69	169173	50.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.36%
11) 1,1-Dichloroethene-d2	2.11	63	296961	37.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.86%
21) 2-Butanone-d5	3.89	46	314551	135.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	135.38%#
24) Chloroform-d	4.35	84	378338	49.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.22%
26) 1,2-Dichloroethane-d4	5.04	65	266087	52.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.70%
32) Benzene-d6	5.05	84	773425	52.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.12%
36) 1,2-Dichloropropane-d6	6.07	67	247463	53.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.34%
41) Toluene-d8	7.32	98	681480	50.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.88%
43) trans-1,3-Dichloropropene-	7.62	79	118993	44.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.90%
47) 2-Hexanone-d5	8.09	63	216865	118.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	118.72%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	312440	49.63	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.26%
64) 1,2-Dichlorobenzene-d4	11.63	152	245562	51.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.08%

Target Compounds					Ovalue
46) Tetrachloroethene	7.98	164	8432	2.833 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121820\
Data File : VV019699.D
Acq On : 18 Dec 2020 14:56
Operator : SY/MD
Sample : L5099-05 200X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q0

Quant Time: Dec 19 07:58:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 19 05:26:51 2020
Response via : Initial Calibration

