

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121820\
 Data File : VV019696.D
 Acq On : 18 Dec 2020 13:44
 Operator : SY/MD
 Sample : L5151-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AE9

Quant Time: Dec 19 07:55:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 19 05:26:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	546735	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	510304	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	237184	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	185021	47.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.38%
7) Chloroethane-d5	1.57	69	155834	50.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.80%
11) 1,1-Dichloroethene-d2	2.11	63	271471	37.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.62%
21) 2-Butanone-d5	3.90	46	277293	130.13	ug/L	0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	130.13%#
24) Chloroform-d	4.35	84	346720	49.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.14%
26) 1,2-Dichloroethane-d4	5.04	65	240365	52.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.10%
32) Benzene-d6	5.05	84	702699	51.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.26%
36) 1,2-Dichloropropane-d6	6.07	67	225216	52.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.64%
41) Toluene-d8	7.32	98	613396	50.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.12%
43) trans-1,3-Dichloropropene-	7.62	79	105891	43.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.34%
47) 2-Hexanone-d5	8.09	63	185145	110.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.65%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	272254	47.21	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.42%
64) 1,2-Dichlorobenzene-d4	11.63	152	227093	51.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.44%


Target Compounds					Ovalue
13) Acetone	2.19	43	32976	18.165 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV121820\
Data File : VV019696.D
Acq On : 18 Dec 2020 13:44
Operator : SY/MD
Sample : L5151-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AE9

Quant Time: Dec 19 07:55:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 19 05:26:51 2020
Response via : Initial Calibration





#13
Acetone
Concen: 18.165 ug/L
RT: 2.19 min Scan# 341
Delta R.T. 0.01 min
Lab File: VV019696.D
Acq: 18 Dec 2020 13:44

Instrument :
MSVOA_V
ClientSampleId :
C0AE9

Tot Ion: 43 Resp: 32976
Ion Ratio Lower Upper
43 100
58 31.4 0.0 61.6

