

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121820\
 Data File : VV019705.D
 Acq On : 18 Dec 2020 17:20
 Operator : SY/MD
 Sample : L5098-05
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4P1

Quant Time: Dec 19 08:06:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 19 05:26:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	558661	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	526687	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	240771	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	190489	47.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.10%
7) Chloroethane-d5	1.57	69	157824	49.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.90%
11) 1,1-Dichloroethene-d2	2.11	63	276980	37.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.50%
21) 2-Butanone-d5	3.89	46	287113	131.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	131.86%#
24) Chloroform-d	4.35	84	357365	49.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.00%
26) 1,2-Dichloroethane-d4	5.04	65	247032	52.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.72%
32) Benzene-d6	5.05	84	716519	51.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.02%
36) 1,2-Dichloropropane-d6	6.07	67	230617	52.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.82%
41) Toluene-d8	7.32	98	624942	49.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.82%
43) trans-1,3-Dichloropropene-	7.62	79	110395	44.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.22%
47) 2-Hexanone-d5	8.09	63	187656	108.66	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.66%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	279683	46.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.98%
64) 1,2-Dichlorobenzene-d4	11.63	152	231480	51.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.86%


Target Compounds					Ovalue
13) Acetone	2.18	43	7736	4.170 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV121820\
Data File : VV019705.D
Acq On : 18 Dec 2020 17:20
Operator : SY/MD
Sample : L5098-05
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4P1

Quant Time: Dec 19 08:06:26 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 19 05:26:51 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.170 ug/L
 RT: 2.18 min Scan# 340
 Delta R.T. 0.00 min
 Lab File: VV019705.D
 Acq: 18 Dec 2020 17:20

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4P1

Tot Ion: 43 Resp: 7736
 Ion Ratio Lower Upper
 43 100
 58 34.0 0.0 61.6

