




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121921\
Data File : VV024100.D
Acq On : 19 Dec 2021 19:50
Operator : SY/MD
Sample : M5148-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GBBR3

Manual IntegrationsAPPROVED

Quant Time: Dec 20 01:39:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Dec 20 01:35:07 2021
Response via : Initial Calibration

Reviewed By :John Carlone 12/20/2021
Supervised By :Mahesh Dadoda 12/22/2021



TIC: VV024100.D\data.ms

(13) Acetone (T)

2.217min (+ 0.013) 11.08 ug/L

response 8351

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	20.70	38.63
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121921\
 Data File : VV024100.D
 Acq On : 19 Dec 2021 19:50
 Operator : SY/MD
 Sample : M5148-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBBR3

Manual IntegrationsAPPROVED

Quant Time: Dec 20 01:39:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Dec 20 01:35:07 2021
 Response via : Initial Calibration

Reviewed By :John Carlone 12/20/2021
 Supervised By :Mahesh Dadoda 12/22/2021



TIC: VV024100.D\data.ms

(13) Acetone (T)

2.217min (+ 0.013) 28.31 ug/L m

response 21329

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	20.70	15.12
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121921\
 Data File : VV024100.D
 Acq On : 19 Dec 2021 19:50
 Operator : SY/MD
 Sample : M5148-02
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBBR3

Manual IntegrationsAPPROVED

Reviewed By : John Carlone 12/20/2021
 Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 20 01:39:55 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Dec 20 01:35:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	89665	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	90687	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	45906	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	18254	3.787	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	75.800%		
7) Chloroethane-d5	1.568	69	17301	4.302	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	86.000%		
11) 1,1-Dichloroethene-d2	2.108	63	30818	3.275	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	65.600%		
20) 2-Butanone-d5	3.921	46	32766	34.793	ug/L	0.01
Spiked Amount 50.000	Range 40 - 130		Recovery =	69.580%		
24) Chloroform-d	4.349	84	47141	4.318	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	86.400%		
26) 1,2-Dichloroethane-d4	5.034	65	23019	4.528	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	90.600%		
32) Benzene-d6	5.050	84	87537	4.874	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	97.400%		
36) 1,2-Dichloropropane-d6	6.072	67	25655	4.734	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	94.600%		
41) Toluene-d8	7.317	98	75441	4.665	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	93.400%		
43) trans-1,3-Dichloroprop...	7.625	79	9519	4.234	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	84.600%		
46) 2-Hexanone-d5	8.092	63	33377	33.165	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	66.320%		
56) 1,1,2,2-Tetrachloroeth...	10.217	84	17729	3.944	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	78.800%		
66) 1,2-Dichlorobenzene-d4	11.622	152	30878	5.036	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	100.800%		
Target Compounds						
13) Acetone	2.217	43	21329m	28.309	ug/L	
30) Cyclohexane	4.680	56	10134	1.077	ug/L	98
47) Tetrachloroethene	7.976	164	1258	0.197	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121921\
Data File : VV024100.D
Acq On : 19 Dec 2021 19:50
Operator : SY/MD
Sample : M5148-02
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 3

Instrument :
MSVOA_V
ClientSampleId :
GBBR3

Manual IntegrationsAPPROVED

Quant Time: Dec 20 01:39:55 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Dec 20 01:35:07 2021
Response via : Initial Calibration

Reviewed By :John Carlone 12/20/2021
Supervised By :Mahesh Dadoda 12/22/2021

