

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121921\
 Data File : VW024106.D
 Acq On : 19 Dec 2021 22:39
 Operator : SY/MD
 Sample : M5148-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBBR7

Manual Integrations
 APPROVED

Reviewed By : John Carlone 12/20/2021
 Supervised By : Mahesh Dadoda 12/22/2021

Quant Time: Dec 20 04:18:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Dec 20 04:04:22 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	88920	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	93796	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	47242	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	17962	3.758	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.200%
7) Chloroethane-d5	1.568	69	17407	4.364	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.200%
11) 1,1-Dichloroethene-d2	2.108	63	30348	3.252	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.000%
20) 2-Butanone-d5	3.925	46	35092	37.575	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	75.140%
24) Chloroform-d	4.352	84	47805	4.415	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.400%
26) 1,2-Dichloroethane-d4	5.037	65	24012	4.763	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.200%
32) Benzene-d6	5.050	84	86651	4.664	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.200%
36) 1,2-Dichloropropane-d6	6.069	67	25444	4.540	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.800%
41) Toluene-d8	7.317	98	73465	4.392	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.800%
43) trans-1,3-Dichloroprop...	7.625	79	8541	3.673	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.400%
46) 2-Hexanone-d5	8.092	63	29839	28.666	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	57.340%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	17800	3.828	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	76.600%
66) 1,2-Dichlorobenzene-d4	11.625	152	30177	4.782	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.600%
Target Compounds					Qvalue	
13) Acetone	2.227	43	4024m	5.386	ug/L	
30) Cyclohexane	4.677	56	1977	0.203	ug/L	87
34) Trichloroethene	5.915	95	17204	2.299	ug/L	93
47) Tetrachloroethene	7.976	164	8939	1.357	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121921\
Data File : VV024106.D
Acq On : 19 Dec 2021 22:39
Operator : SY/MD
Sample : M5148-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 27 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
GBBR7

Manual Integrations
APPROVED

Reviewed By : John Carlone 12/20/2021
Supervised By : Mahesh Dadoda 12/22/2021


Quant Time: Dec 20 04:18:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR121021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Dec 20 04:04:22 2021
Response via : Initial Calibration





#13
Acetone
Concen: 5.386 ug/L m
RT: 2.227 min Scan# 30
Delta R.T. 0.023 min
Lab File: VV024106.D
Acq: 19 Dec 2021 22:39




Instrument :
MSVOA_V
ClientSampleId :
GBBR7



Tgt Ion: 43 Resp: 4024
Ion Ratio Lower Upper
43 100
58 6.2 0.0 41.4




Manual Integrations
APPROVED


Reviewed By :John Carlone 12/20/2021
Supervised By :Mahesh Dadoda 12/22/2021



#30
Cyclohexane
Concen: 0.203 ug/L
RT: 4.677 min Scan# 1131
Delta R.T. -0.003 min
Lab File: VV024106.D
Acq: 19 Dec 2021 22:39


Tgt Ion: 56 Resp: 1977
Ion Ratio Lower Upper
56 100
69 27.5 24.8 37.2
84 109.1 75.9 113.9





#34
Trichloroethene
Concen: 2.299 ug/L
RT: 5.915 min Scan# 1516
Delta R.T. 0.000 min
Lab File: VV024106.D
Acq: 19 Dec 2021 22:39




Instrument :
MSVOA_V
ClientSampleId :
GBBR7




Tgt Ion: 95 Resp: 17204
Ion Ratio Lower Upper
95 100
97 71.5 45.2 84.0
132 111.7 76.1 141.3
130 117.6 75.4 140.0

Manual Integrations
APPROVED

Reviewed By :John Carlone 12/20/2021
Supervised By :Mahesh Dadoda 12/22/2021



#47
Tetrachloroethene
Concen: 1.357 ug/L
RT: 7.976 min Scan# 2157
Delta R.T. 0.000 min
Lab File: VV024106.D
Acq: 19 Dec 2021 22:39



Tgt Ion:164 Resp: 8939
Ion Ratio Lower Upper
164 100
129 85.6 62.6 116.2
131 79.1 61.0 113.4
166 118.8 87.3 162.1

