

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121923\
 Data File : VW033487.D
 Acq On : 19 Dec 2023 18:50
 Operator : SY/MD
 Sample : 05912-14
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH3D6

Quant Time: Dec 20 00:28:43 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 20 00:24:21 2023
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		5.535	114	265127	50.000	ug/L	0.00
28) Chlorobenzene-d5		8.786	117	277602	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.185	152	116772	50.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.278	65	102319	50.114	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.220%	
7) Chloroethane-d5		1.532	69	87897	47.972	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.940%	
11) 1,1-Dichloroethene-d2		2.063	65	44941	44.218	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.440%	
21) 2-Butanone-d5		3.783	46	85399	82.992	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	82.990%	
24) Chloroform-d		4.249	84	181862	45.030	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.060%	
26) 1,2-Dichloroethane-d4		4.940	65	116312	46.881	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.760%	
32) Benzene-d6		4.960	84	338012	45.209	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.420%	
36) 1,2-Dichloropropane-d6		5.989	67	109495	48.253	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.500%	
41) Toluene-d8		7.243	98	282572	41.304	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.600%	
43) trans-1,3-Dichloroprop...		7.555	79	44367	39.895	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.780%	
47) 2-Hexanone-d5		8.024	63	54891	71.919	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	71.920%	
56) 1,1,2,2-Tetrachloroeth...		10.153	84	135417	41.521	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.040%	
66) 1,2-Dichlorobenzene-d4		11.561	152	106765	48.655	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.300%	
Target Compounds							
13) Acetone		2.114	43	8471	7.092	ug/L	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121923\
Data File : VV033487.D
Acq On : 19 Dec 2023 18:50
Operator : SY/MD
Sample : 05912-14
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH3D6

Quant Time: Dec 20 00:28:43 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 20 00:24:21 2023
Response via : Initial Calibration

