

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW121923\
 Data File : VV033481.D
 Acq On : 19 Dec 2023 16:31
 Operator : SY/MD
 Sample : 05912-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
ClientSampleId :
 BH3M4

Quant Time: Dec 20 00:27:22 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 20 00:24:21 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	268143	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	279887	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	113789	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	103153	49.954	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery =	99.900%		
7) Chloroethane-d5	1.532	69	90718	48.954	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery =	97.900%		
11) 1,1-Dichloroethene-d2	2.060	65	44748	43.533	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery =	87.060%		
21) 2-Butanone-d5	3.786	46	83061	79.812	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery =	79.810%		
24) Chloroform-d	4.249	84	182002	44.558	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery =	89.120%		
26) 1,2-Dichloroethane-d4	4.941	65	115712	46.114	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery =	92.220%		
32) Benzene-d6	4.960	84	341771	45.338	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery =	90.680%		
36) 1,2-Dichloropropane-d6	5.989	67	110094	48.121	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery =	96.240%		
41) Toluene-d8	7.243	98	284339	41.223	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery =	82.440%		
43) trans-1,3-Dichloroprop...	7.555	79	45453	40.538	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery =	81.080%		
47) 2-Hexanone-d5	8.024	63	53917	70.066	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery =	70.070%		
56) 1,1,2,2-Tetrachloroeth...	10.153	84	137324	41.762	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery =	83.520%		
66) 1,2-Dichlorobenzene-d4	11.561	152	106176	49.655	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery =	99.300%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV121923\
 Data File : VV033481.D
 Acq On : 19 Dec 2023 16:31
 Operator : SY/MD
 Sample : 05912-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH3M4

Quant Time: Dec 20 00:27:22 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 20 00:24:21 2023
 Response via : Initial Calibration

