

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122019\
 Data File : VV014145.D
 Acq On : 20 Dec 2019 10:29
 Operator : SY/MD
 Sample : VV1220WBL01
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK37

Quant Time: Dec 21 02:38:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Dec 21 02:31:50 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	382313	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	359071	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	153522	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	122234	5.17	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	103.40%
7) Chloroethane-d5	1.58	69	108483	5.40	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.00%
11) 1,1-Dichloroethene-d2	2.13	63	163849	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.20%
20) 2-Butanone-d5	3.94	46	220327	44.79	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.58%
24) Chloroform-d	4.40	84	233230	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.80%
26) 1,2-Dichloroethane-d4	5.08	65	115207	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.40%
32) Benzene-d6	5.09	84	446516	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.40%
36) 1,2-Dichloropropane-d6	6.11	67	138203	5.01	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.20%
41) Toluene-d8	7.36	98	350202	4.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.60%
43) trans-1,3-Dichloropropene-	7.66	79	46740	4.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.00%
46) 2-Hexanone-d5	8.13	63	154195	38.90	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.80%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	91857	4.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	11.67	152	132544	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%


Target Compounds					Ovalue
13) Acetone	2.21	43	9668	2.811 ug/L	82
16) Methylene chloride	2.53	84	11457	0.455 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122019\
Data File : VV014145.D
Acq On : 20 Dec 2019 10:29
Operator : SY/MD
Sample : VV1220WBL01
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK37

Quant Time: Dec 21 02:38:48 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR112219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 21 02:31:50 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.811 ug/L

RT: 2.21 min Scan# 348

Delta R.T. -0.00 min

Lab File: VV014145.D

Acq: 20 Dec 2019 10:29

Instrument :

MSVOA_V

ClientSampleId :


VBLK37

Tot Ion: 43 Resp: 9668

Ion Ratio Lower Upper




43 100

58 20.9 0.0 27.2



Abundance Ion 43.05 (42.75 to 43.75): VV0

Ion 58.05 (57.75 to 58.75): VV0



#16

Methylene chloride

Concen: 0.455 ug/L

RT: 2.53 min Scan# 449

Delta R.T. 0.00 min

Lab File: VV014145.D

Acq: 20 Dec 2019 10:29


Tgt Ion: 84 Resp: 11457

Ion Ratio Lower Upper

84 100

86 57.3 44.0 81.6

49 109.2 81.5 151.5



Abundance Ion 84.05 (83.75 to 84.75): VV0

Ion 86.00 (85.70 to 86.70): VV0

Ion 49.10 (48.80 to 49.80): VV0

