

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW122023\
 Data File : VW033502.D
 Acq On : 20 Dec 2023 11:28
 Operator : SY/MD
 Sample : 05927-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BGWA8

Quant Time: Dec 21 01:45:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 21 01:43:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	272982	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	280397	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	120043	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	102159	48.596	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	97.200%		
7) Chloroethane-d5	1.532	69	91187	48.335	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	96.680%		
11) 1,1-Dichloroethene-d2	2.063	65	45740	43.709	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	87.420%		
21) 2-Butanone-d5	3.786	46	97952	92.452	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	92.450%		
24) Chloroform-d	4.249	84	188708	45.380	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.760%		
26) 1,2-Dichloroethane-d4	4.944	65	125758	49.230	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.460%		
32) Benzene-d6	4.960	84	361250	47.835	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.680%		
36) 1,2-Dichloropropane-d6	5.989	67	116994	51.044	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	102.080%		
41) Toluene-d8	7.243	98	305199	44.166	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.340%		
43) trans-1,3-Dichloroprop...	7.555	79	48208	42.917	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.840%		
47) 2-Hexanone-d5	8.024	63	59785	77.551	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	77.550%		
56) 1,1,2,2-Tetrachloroeth...	10.153	84	143477	43.554	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	87.100%		
66) 1,2-Dichlorobenzene-d4	11.561	152	113681	50.395	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	100.780%		
Target Compounds					Qvalue	
13) Acetone	2.114	43	4727	3.844	ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122023\
Data File : VV033502.D
Acq On : 20 Dec 2023 11:28
Operator : SY/MD
Sample : 05927-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BGWA8

Quant Time: Dec 21 01:45:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 21 01:43:54 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.844 ug/L
 RT: 2.114 min Scan# 31
 Delta R.T. 0.006 min
 Lab File: VV033502.D
 Acq: 20 Dec 2023 11:28

Instrument :
 MSVOA_V
 ClientSampleId :
 BGWA8

Tgt Ion: 43 Resp: 4727
 Ion Ratio Lower Upper
 43 100
 58 34.6 0.0 59.2

