

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW122123\
 Data File : VW033528.D
 Acq On : 21 Dec 2023 12:42
 Operator : SY/MD
 Sample : 05847-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Dec 22 01:46:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 22 01:45:30 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	227233	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	242652	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	102182	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	76394	43.656	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.320%
7) Chloroethane-d5	1.532	69	72888	46.414	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.820%
11) 1,1-Dichloroethene-d2	2.063	65	35891	41.202	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.400%
21) 2-Butanone-d5	3.789	46	98555	111.749	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.750%
24) Chloroform-d	4.249	84	163951	47.365	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.720%
26) 1,2-Dichloroethane-d4	4.944	65	107546	50.576	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.160%
32) Benzene-d6	4.960	84	298881	45.733	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.460%
36) 1,2-Dichloropropane-d6	5.989	67	99075	49.950	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.900%
41) Toluene-d8	7.246	98	241753	40.427	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.860%
43) trans-1,3-Dichloroprop...	7.554	79	41357	42.545	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.080%
47) 2-Hexanone-d5	8.027	63	58297	87.383	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.380%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	139255	48.848	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.700%
66) 1,2-Dichlorobenzene-d4	11.561	152	98442	51.267	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.540%
Target Compounds						
44) trans-1,3-Dichloropropene	7.551	75	2135	0.834	ug/L	Qvalue # 82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122123\
Data File : VV033528.D
Acq On : 21 Dec 2023 12:42
Operator : SY/MD
Sample : 05847-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :


Quant Time: Dec 22 01:46:46 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM121523WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 22 01:45:30 2023
Response via : Initial Calibration





#44
 trans-1,3-Dichloropropene
 Concen: 0.834 ug/L
 RT: 7.551 min Scan# 20
 Delta R.T. -0.029 min
 Lab File: VV033528.D
 Acq: 21 Dec 2023 12:42

Instrument :
 MSVOA_V
 ClientSampleId :



Tgt Ion: 75 Resp: 2135
 Ion Ratio Lower Upper
 75 100
 77 41.8 22.4 41.6#

