

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122220\
 Data File : VV019801.D
 Acq On : 22 Dec 2020 17:33
 Operator : SY/MD
 Sample : VIBLK77
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK77

Quant Time: Dec 23 02:32:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 23 01:05:06 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	725929	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	679716	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	325445	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	252320	48.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.94%
7) Chloroethane-d5	1.57	69	202693	49.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.74%
11) 1,1-Dichloroethene-d2	2.11	63	353303	36.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.14%
21) 2-Butanone-d5	3.89	46	369273	130.52	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	130.52%#
24) Chloroform-d	4.35	84	440701	46.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.96%
26) 1,2-Dichloroethane-d4	5.04	65	311683	50.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.68%
32) Benzene-d6	5.05	84	902706	49.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.58%
36) 1,2-Dichloropropane-d6	6.07	67	289979	51.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.12%
41) Toluene-d8	7.32	98	781180	47.86	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.72%
43) trans-1,3-Dichloropropene-	7.62	79	128599	39.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.62%
47) 2-Hexanone-d5	8.09	63	221367	99.32	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.32%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	344747	44.88	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.76%
64) 1,2-Dichlorobenzene-d4	11.63	152	284234	46.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.44%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV122220\
Data File : VV019801.D
Acq On : 22 Dec 2020 17:33
Operator : SY/MD
Sample : VIBLK77
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK77

Quant Time: Dec 23 02:32:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 23 01:05:06 2020
Response via : Initial Calibration

