




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122319\
Data File : VV014165.D
Acq On : 23 Dec 2019 18:19
Operator : SY/MD
Sample : K6404-13
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 24 01:37:25 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR122319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 24 01:34:37 2019
Response via : Initial Calibration



TIC: VV014165.D

(13) Acetone (T)

2.222min (+0.013) 3.30ug/L m

response 12835

Ion	Exp%	Act%
43.05	100	100
58.05	29.40	1.19
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122319\
 Data File : VV014165.D
 Acq On : 23 Dec 2019 18:19
 Operator : SY/MD
 Sample : K6404-13
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 24 02:46:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR122319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 24 01:34:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	353146	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	335629	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	147322	5.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.32	65	127713	5.04	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	100.80%
7) Chloroethane-d5	1.58	69	110832	5.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.60%
11) 1,1-Dichloroethene-d2	2.13	63	171340	3.99	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.80%
20) 2-Butanone-d5	3.95	46	265098	55.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.92%
24) Chloroform-d	4.40	84	249951	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
26) 1,2-Dichloroethane-d4	5.08	65	128021	5.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.80%
32) Benzene-d6	5.09	84	501019	5.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.80%
36) 1,2-Dichloropropane-d6	6.11	67	151386	5.48	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.60%
41) Toluene-d8	7.36	98	427752	5.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.00%
43) trans-1,3-Dichloropropene-	7.66	79	53974	5.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.00%
46) 2-Hexanone-d5	8.13	63	196357	51.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.96%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	102306	5.08	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	157173	5.96	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	119.20%

Target Compounds					Ovalue
13) Acetone	2.22	43	12835m	3.296 ug/L	
42) Toluene	7.43	91	17078	0.172 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122319\
Data File : VV014165.D
Acq On : 23 Dec 2019 18:19
Operator : SY/MD
Sample : K6404-13
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 24 02:46:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR122319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 24 01:34:37 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122319\
Data File : VV014165.D
Acq On : 23 Dec 2019 18:19
Operator : SY/MD
Sample : K6404-13
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 24 01:37:25 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR122319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 24 01:34:37 2019
Response via : Initial Calibration



TIC: VV014165.D

(13) Acetone (T)

2.364min (+0.154) 0.44ug/L

response 1709

Ion	Exp%	Act%
43.05	100	100
58.05	29.40	8.95
0.00	0.00	0.00
0.00	0.00	0.00