

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV122320\
 Data File : VV019808.D
 Acq On : 23 Dec 2020 13:23
 Operator : SY/MD
 Sample : VV1223WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK62

Quant Time: Dec 23 23:01:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 23 22:04:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.62	114	699040	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.86	117	649895	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.25	152	301506	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	255965	51.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	102.12%
7) Chloroethane-d5	1.57	69	203597	51.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.00%
11) 1,1-Dichloroethene-d2	2.11	63	363326	39.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.10%
21) 2-Butanone-d5	3.89	46	338758	124.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	124.34%
24) Chloroform-d	4.35	84	438782	48.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.14%
26) 1,2-Dichloroethane-d4	5.03	65	306548	51.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.84%
32) Benzene-d6	5.05	84	891169	51.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.82%
36) 1,2-Dichloropropane-d6	6.07	67	286027	52.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	105.36%
41) Toluene-d8	7.32	98	783061	50.18	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.36%
43) trans-1,3-Dichloropropene-	7.62	79	135022	43.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.44%
47) 2-Hexanone-d5	8.09	63	203252	95.38	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.38%
57) 1,1,2,2-Tetrachloroethane-	10.22	84	335594	45.70	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.40%
64) 1,2-Dichlorobenzene-d4	11.63	152	280953	49.85	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.70%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV122320\
Data File : VV019808.D
Acq On : 23 Dec 2020 13:23
Operator : SY/MD
Sample : VV1223WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK62

Quant Time: Dec 23 23:01:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM121020WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 23 22:04:07 2020
Response via : Initial Calibration

