




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122322\
 Data File : VV029783.D
 Acq On : 23 Dec 2022 12:27
 Operator : SY/MD
 Sample : N6171-07ME
 Misc : 5.77g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBQC5ME

Manual IntegrationsAPPROVED

Reviewed By :Krupa Patel 12/27/2022
 Supervised By :Mahesh Dadoda 12/27/2022

Quant Time: Dec 24 01:50:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 24 01:45:32 2022
 Response via : Initial Calibration



TIC: VV029783.D\data.ms

(47) 2-Hexanone-d5 (S)

8.088min (+ 0.010) 47.21 ug/L

response 78794

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	148.20	277.34#
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122322\
 Data File : VV029783.D
 Acq On : 23 Dec 2022 12:27
 Operator : SY/MD
 Sample : N6171-07ME
 Misc : 5.77g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBQC5ME

Manual IntegrationsAPPROVED

Quant Time: Dec 24 01:50:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 24 01:45:32 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 12/27/2022
 Supervised By :Mahesh Dadoda 12/27/2022



TIC: VV029783.D\data.ms

(47) 2-Hexanone-d5 (S)

8.088min (+ 0.010) 87.04 ug/L m

response 145287

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	148.20	150.41
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122322\
 Data File : VV029783.D
 Acq On : 23 Dec 2022 12:27
 Operator : SY/MD
 Sample : N6171-07ME
 Misc : 5.77g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GBQC5ME

Manual IntegrationsAPPROVED

Quant Time: Dec 24 01:50:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 24 01:45:32 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 12/27/2022
 Supervised By :Mahesh Dadoda 12/27/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.606	114	498525	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.844	117	484288	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.243	152	269037	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	108740	35.620	ug/L	0.00
Spiked Amount 50.000	Range 60	- 135	Recovery	=	71.240%	
7) Chloroethane-d5	1.539	69	35826	15.390	ug/L	-0.02
Spiked Amount 50.000	Range 70	- 130	Recovery	=	30.780%#	
11) 1,1-Dichloroethene-d2	2.082	63	153233	32.182	ug/L	-0.02
Spiked Amount 50.000	Range 60	- 125	Recovery	=	64.360%	
21) 2-Butanone-d5	3.883	46	165191	88.704	ug/L	0.02
Spiked Amount 100.000	Range 40	- 130	Recovery	=	88.700%	
24) Chloroform-d	4.336	84	236556	41.178	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	82.360%	
26) 1,2-Dichloroethane-d4	5.021	65	142270	43.362	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	86.720%	
32) Benzene-d6	5.037	84	490268	38.313	ug/L	0.00
Spiked Amount 50.000	Range 70	- 125	Recovery	=	76.620%	
36) 1,2-Dichloropropane-d6	6.060	67	159750	40.870	ug/L	0.00
Spiked Amount 50.000	Range 70	- 120	Recovery	=	81.740%	
41) Toluene-d8	7.307	98	432930	35.906	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	71.820%#	
43) trans-1,3-Dichloroprop...	7.613	79	71508	36.229	ug/L	0.00
Spiked Amount 50.000	Range 60	- 125	Recovery	=	72.460%	
47) 2-Hexanone-d5	8.088	63	145287m	87.044	ug/L	0.00
Spiked Amount 100.000	Range 45	- 130	Recovery	=	87.040%	
56) 1,1,2,2-Tetrachloroeth...	10.211	84	239005	42.790	ug/L	0.00
Spiked Amount 50.000	Range 65	- 120	Recovery	=	85.580%	
66) 1,2-Dichlorobenzene-d4	11.616	152	191623	37.416	ug/L	0.00
Spiked Amount 50.000	Range 80	- 120	Recovery	=	74.840%#	
Target Compounds						
					Qvalue	
15) Methyl Acetate	2.429	43	25412	9.194	ug/L	95
34) Trichloroethene	5.908	95	14923	4.363	ug/L	95
46) Tetrachloroethene	7.966	164	1399282	508.797	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV122322\
Data File : VV029783.D
Acq On : 23 Dec 2022 12:27
Operator : SY/MD
Sample : N6171-07ME
Misc : 5.77g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GBQC5ME

Manual IntegrationsAPPROVED

Quant Time: Dec 24 01:50:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM120722WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 24 01:45:32 2022
Response via : Initial Calibration

Reviewed By :Krupa Patel 12/27/2022
Supervised By :Mahesh Dadoda 12/27/2022

