

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW060822\
 Data File : VW026041.D
 Acq On : 08 Jun 2022 23:25
 Operator : SY/MD
 Sample : N3253-15
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DL2

Quant Time: Jun 09 05:26:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR060822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jun 09 05:13:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.625	114	185336	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	181255	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	72413	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.320	65	48381	4.447	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.000%
7) Chloroethane-d5	1.580	69	52961	4.656	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.200%
11) 1,1-Dichloroethene-d2	2.121	63	74021	2.946	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.000%#
20) 2-Butanone-d5	3.915	46	64715	40.218	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.440%
24) Chloroform-d	4.362	84	109272	4.739	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.800%
26) 1,2-Dichloroethane-d4	5.043	65	47068	5.005	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.000%
32) Benzene-d6	5.059	84	192346	4.392	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.800%
36) 1,2-Dichloropropane-d6	6.075	67	65173	4.810	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.200%
41) Toluene-d8	7.320	98	149115	3.853	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.000%
43) trans-1,3-Dichloroprop...	7.628	79	15849	3.973	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.400%
46) 2-Hexanone-d5	8.091	63	68349	38.932	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.860%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	38645	4.230	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.600%
66) 1,2-Dichlorobenzene-d4	11.625	152	52915	4.776	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.600%
Target Compounds						
					Qvalue	
42) Toluene	7.400	91	19653	0.330	ug/L	100
55) Styrene	9.567	104	10071	0.262	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV060822\
Data File : VV026041.D
Acq On : 08 Jun 2022 23:25
Operator : SY/MD
Sample : N3253-15
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DL2

Quant Time: Jun 09 05:26:27 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR060822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jun 09 05:13:00 2022
Response via : Initial Calibration

