

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092822\
 Data File : VV028157.D
 Acq On : 28 Sep 2022 14:25
 Operator : SY/MD
 Sample : N4730-04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EXFR8

Quant Time: Sep 29 01:28:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Sep 29 01:25:35 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	176318	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	174129	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.246	152	84399	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	53909	2.949	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	59.000%	
7) Chloroethane-d5	1.561	69	52742	3.629	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	72.600%	
11) 1,1-Dichloroethene-d2	2.098	63	71976	2.270	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	45.400%#	
20) 2-Butanone-d5	3.905	46	163245	52.898	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	105.800%	
24) Chloroform-d	4.343	84	124460	4.267	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	85.400%	
26) 1,2-Dichloroethane-d4	5.027	65	59939	4.318	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
32) Benzene-d6	5.043	84	226715	3.971	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.400%	
36) 1,2-Dichloropropane-d6	6.066	67	75176	4.223	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	84.400%	
41) Toluene-d8	7.314	98	175485	3.396	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	68.000%#	
43) trans-1,3-Dichloroprop...	7.622	79	23898	3.717	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	74.400%	
46) 2-Hexanone-d5	8.088	63	141511	52.734	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	105.460%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	58187	4.782	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	95.600%	
66) 1,2-Dichlorobenzene-d4	11.622	152	77204	4.664	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	93.200%	
Target Compounds						
27) 1,2-Dichloroethane	5.127	62	125793	9.448	ug/L	Qvalue # 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092822\
Data File : VV028157.D
Acq On : 28 Sep 2022 14:25
Operator : SY/MD
Sample : N4730-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EXFR8

Quant Time: Sep 29 01:28:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092222WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Sep 29 01:25:35 2022
Response via : Initial Calibration

