

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100822\
 Data File : VV028467.D
 Acq On : 09 Oct 2022 03:51
 Operator : SY/MD
 Sample : N4923-13
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E10055

Quant Time: Oct 10 04:29:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Oct 10 02:52:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	379995	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.847	117	341158	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.242	152	165416	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	104153	35.522	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.040%
7) Chloroethane-d5	1.568	69	85814	36.911	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	73.820%
11) 1,1-Dichloroethene-d2	2.104	63	143733	28.803	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.600%#
21) 2-Butanone-d5	3.899	46	178155	69.409	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	69.410%
24) Chloroform-d	4.342	84	233271	43.379	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.760%
26) 1,2-Dichloroethane-d4	5.027	65	154702	44.607	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.220%
32) Benzene-d6	5.043	84	486125	44.469	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.940%
36) 1,2-Dichloropropane-d6	6.066	67	154582	43.370	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.740%
41) Toluene-d8	7.310	98	440389	44.995	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.000%
43) trans-1,3-Dichloroprop...	7.619	79	74534	41.027	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.060%
47) 2-Hexanone-d5	8.085	63	155046	79.967	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	79.970%
56) 1,1,2,2-Tetrachloroeth...	10.207	84	203436	41.710	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.420%
66) 1,2-Dichlorobenzene-d4	11.615	152	156629	45.697	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.400%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100822\
Data File : VV028467.D
Acq On : 09 Oct 2022 03:51
Operator : SY/MD
Sample : N4923-13
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E10055

Quant Time: Oct 10 04:29:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100722WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Oct 10 02:52:43 2022
Response via : Initial Calibration

