

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028806.D
 Acq On : 01 Nov 2022 11:15
 Operator : SY/MD
 Sample : N5321-04DL 20X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWW6DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028806.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	100	rVB	205370	231605	14.63%	1.667%
2	1.564	157	163	175	rVB	214582	241764	15.27%	1.740%
3	2.105	322	331	349	rVB	380950	546067	34.49%	3.931%
4	2.603	483	486	487	rBV3	1238	628	0.04%	0.005%
5	2.706	515	518	521	rBV4	1086	669	0.04%	0.005%
6	2.757	525	534	554	rVB	92132	164234	10.37%	1.182%
7	3.024	612	617	619	rBV6	1291	1181	0.07%	0.009%
8	3.037	619	621	624	rBV4	1329	799	0.05%	0.006%
9	3.137	646	652	653	rBV6	1698	1302	0.08%	0.009%
10	3.175	660	664	666	rVB4	2048	1252	0.08%	0.009%
11	3.207	672	674	675	rBV2	1654	724	0.05%	0.005%
12	3.249	684	687	689	rBV4	990	665	0.04%	0.005%
13	3.301	700	703	708	rBV7	2148	1643	0.10%	0.012%
14	3.346	713	717	718	rBV4	1292	907	0.06%	0.007%
15	3.468	752	755	759	rBV6	1345	1071	0.07%	0.008%
16	3.513	767	769	772	rVB3	1815	879	0.06%	0.006%
17	3.561	781	784	787	rBV5	1343	1014	0.06%	0.007%
18	3.664	811	816	819	rBV7	1678	1521	0.10%	0.011%
19	3.728	833	836	838	rVB4	1361	694	0.04%	0.005%
20	3.761	844	846	849	rBV4	1665	958	0.06%	0.007%
21	3.899	873	889	921	rBV3	227153	822230	51.94%	5.919%
22	4.259	994	1001	1005	rBV9	2075	2926	0.18%	0.021%
23	4.342	1014	1027	1055	rVB	238779	592225	37.41%	4.263%
24	4.613	1109	1111	1113	rBV3	2272	1177	0.07%	0.008%
25	4.812	1168	1173	1175	rBV6	2731	2390	0.15%	0.017%
26	4.854	1184	1186	1188	rBV3	1801	829	0.05%	0.006%
27	5.040	1227	1244	1270	rBV2	604180	1583044	100.00%	11.396%
28	5.330	1330	1334	1338	rBV6	1913	1813	0.11%	0.013%
29	5.613	1411	1422	1443	rVV	521083	1052025	66.46%	7.573%
30	5.912	1502	1515	1538	rBV	307797	624245	39.43%	4.494%
31	6.066	1551	1563	1584	rBV	365272	740220	46.76%	5.329%
32	6.445	1678	1681	1683	rBV3	1757	1195	0.08%	0.009%
33	6.506	1698	1700	1703	rBV4	1936	1007	0.06%	0.007%
34	6.867	1807	1812	1815	rBV7	1486	1314	0.08%	0.009%
35	6.982	1837	1848	1869	rBV	173419	324983	20.53%	2.340%
36	7.310	1939	1950	1971	rBV	667451	1170308	73.93%	8.425%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW110122\
 Data File : VW028806.D
 Acq On : 01 Nov 2022 11:15
 Operator : SY/MD
 Sample : N5321-04DL 20X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWW6DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	7.616	2037	2045	2067	rBV	107505	197484	12.47%	1.422%
38	7.825	2108	2110	2113	rBV4	1211	892	0.06%	0.006%
39	7.857	2117	2120	2124	rVB5	2311	2045	0.13%	0.015%
40	7.883	2124	2128	2131	rBV5	2017	1794	0.11%	0.013%
41	7.969	2141	2155	2175	rBV	296098	510491	32.25%	3.675%
42	8.085	2182	2191	2236	rBV	455037	919123	58.06%	6.617%
43	8.513	2321	2324	2327	rBV5	1490	1072	0.07%	0.008%
44	8.754	2395	2399	2403	rVB7	1531	1556	0.10%	0.011%
45	8.783	2404	2408	2414	rBV7	1427	1537	0.10%	0.011%
46	8.847	2417	2428	2451	rVV	754103	1244316	78.60%	8.958%
47	9.085	2498	2502	2503	rBV4	1151	919	0.06%	0.007%
48	9.252	2552	2554	2557	rBV4	1474	907	0.06%	0.007%
49	9.300	2567	2569	2572	rBV4	1805	1078	0.07%	0.008%
50	9.442	2609	2613	2614	rBV4	1151	649	0.04%	0.005%
51	9.712	2695	2697	2698	rBV2	1693	710	0.04%	0.005%
52	9.722	2698	2700	2705	rVB6	2152	1436	0.09%	0.010%
53	9.744	2705	2707	2709	rBV3	1323	711	0.04%	0.005%
54	9.796	2720	2723	2725	rBV4	1893	1033	0.07%	0.007%
55	9.809	2725	2727	2730	rVB3	1181	707	0.04%	0.005%
56	9.882	2745	2750	2755	rBV9	2033	2538	0.16%	0.018%
57	9.989	2780	2783	2786	rBV4	1606	1023	0.06%	0.007%
58	10.030	2793	2796	2800	rBV7	1767	1717	0.11%	0.012%
59	10.066	2804	2807	2809	rBV4	1385	750	0.05%	0.005%
60	10.104	2817	2819	2822	rBV4	1393	968	0.06%	0.007%
61	10.117	2822	2823	2826	rVB3	2081	965	0.06%	0.007%
62	10.207	2840	2851	2872	rBV	478914	749209	47.33%	5.393%
63	10.413	2913	2915	2919	rVV5	2045	1426	0.09%	0.010%
64	10.532	2949	2952	2954	rBV4	1492	1143	0.07%	0.008%
65	10.628	2980	2982	2986	rBV5	1056	663	0.04%	0.005%
66	10.815	3036	3040	3042	rBV4	1702	1157	0.07%	0.008%
67	10.847	3046	3050	3053	rBV6	1993	1912	0.12%	0.014%
68	10.940	3077	3079	3083	rVB5	2135	1359	0.09%	0.010%
69	11.021	3102	3104	3106	rBV3	1301	765	0.05%	0.006%
70	11.037	3106	3109	3113	rVB7	1377	1053	0.07%	0.008%
71	11.239	3161	3172	3196	rBV	692149	1102703	69.66%	7.938%
72	11.513	3254	3257	3260	rVB5	1531	1025	0.06%	0.007%
73	11.538	3260	3265	3268	rBV6	2201	1908	0.12%	0.014%
74	11.567	3272	3274	3277	rBV4	1644	1237	0.08%	0.009%
75	11.616	3277	3289	3308	rBV	609357	981037	61.97%	7.062%
76	11.979	3400	3402	3404	rBV3	1184	691	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028806.D
 Acq On : 01 Nov 2022 11:15
 Operator : SY/MD
 Sample : N5321-04DL 20X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWW6DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

77	12.017	3412	3414	3418	rVB6	1883	1007	0.06%	0.007%
78	12.194	3466	3469	3471	rBV4	1010	668	0.04%	0.005%
79	12.242	3481	3484	3486	rVB4	1883	971	0.06%	0.007%
80	12.304	3500	3503	3504	rVB3	1230	660	0.04%	0.005%
81	12.493	3559	3562	3565	rBV5	1393	1089	0.07%	0.008%
82	12.606	3595	3597	3600	rBV3	958	650	0.04%	0.005%
83	12.625	3600	3603	3605	rBV4	1671	1178	0.07%	0.008%
84	12.699	3619	3626	3631	rBV9	2327	2544	0.16%	0.018%
85	12.722	3631	3633	3636	rBV3	1073	725	0.05%	0.005%
86	12.760	3641	3645	3646	rBV4	1292	809	0.05%	0.006%
87	12.815	3659	3662	3665	rBV4	1999	1462	0.09%	0.011%
88	12.956	3703	3706	3707	rBV4	1504	663	0.04%	0.005%
89	13.027	3724	3728	3731	rVB5	1869	1285	0.08%	0.009%
90	13.140	3760	3763	3764	rBV4	1204	709	0.04%	0.005%
91	13.201	3779	3782	3783	rBV3	1734	895	0.06%	0.006%
92	13.233	3791	3792	3795	rBV3	1145	811	0.05%	0.006%
93	13.371	3831	3835	3839	rVB6	2341	1785	0.11%	0.013%
94	13.400	3839	3844	3845	rBV4	2323	1686	0.11%	0.012%
95	13.474	3864	3867	3870	rBV4	973	692	0.04%	0.005%
96	13.657	3921	3924	3926	rBV4	1334	1063	0.07%	0.008%
97	13.770	3957	3959	3962	rBV4	1671	1003	0.06%	0.007%
98	13.998	4026	4030	4032	rBV5	2148	1807	0.11%	0.013%
99	14.686	4242	4244	4246	rBV2	2157	957	0.06%	0.007%
100	15.104	4372	4374	4377	rBV4	1822	680	0.04%	0.005%




Sum of corrected areas: 13891016

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028806.D
Acq On : 01 Nov 2022 11:15
Operator : SY/MD
Sample : N5321-04DL 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWW6DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028806.D
Acq On : 01 Nov 2022 11:15
Operator : SY/MD
Sample : N5321-04DL 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWW6DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028806.D
Acq On : 01 Nov 2022 11:15
Operator : SY/MD
Sample : N5321-04DL 20X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWW6DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc