

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028816.D
 Acq On : 01 Nov 2022 15:14
 Operator : SY/MD
 Sample : N5353-17
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWX2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028816.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	76	83	101	rBV2	199629	221636	11.37%	1.621%
2	1.564	157	163	180	rVB	172219	206399	10.59%	1.510%
3	2.105	322	331	344	rVB2	343856	500580	25.69%	3.661%
4	2.757	526	534	548	rBV	30564	54617	2.80%	0.399%
5	3.153	652	657	661	rBV8	2184	2270	0.12%	0.017%
6	3.397	731	733	736	rVB3	1728	1016	0.05%	0.007%
7	3.416	736	739	740	rBV3	2188	1280	0.07%	0.009%
8	3.449	746	749	752	rBV5	1848	1164	0.06%	0.009%
9	3.481	757	759	764	rBV6	1779	1386	0.07%	0.010%
10	3.568	782	786	790	rBV7	2378	2143	0.11%	0.016%
11	3.606	795	798	801	rVV5	1330	1039	0.05%	0.008%
12	3.690	822	824	825	rBV2	1148	442	0.02%	0.003%
13	3.796	853	857	858	rBV4	1096	748	0.04%	0.005%
14	3.902	871	890	916	rBV2	251529	882883	45.31%	6.457%
15	4.342	1014	1027	1052	rVB	226472	548178	28.13%	4.009%
16	4.622	1113	1114	1116	rBV2	979	344	0.02%	0.003%
17	4.696	1135	1137	1141	rBV6	1732	1338	0.07%	0.010%
18	5.043	1226	1245	1272	rBV2	554777	1472433	75.56%	10.769%
19	5.612	1411	1422	1452	rBV	454483	910775	46.74%	6.661%
20	5.908	1501	1514	1544	rBV	1009994	1948591	100.00%	14.251%
21	6.066	1552	1563	1587	rVB	346632	698414	35.84%	5.108%
22	6.522	1699	1705	1706	rBV5	2627	2368	0.12%	0.017%
23	6.667	1748	1750	1753	rVB4	2101	1009	0.05%	0.007%
24	6.982	1837	1848	1870	rBV	161204	299285	15.36%	2.189%
25	7.310	1940	1950	1978	rBV	621109	1073825	55.11%	7.853%
26	7.619	2037	2046	2061	rBV	99602	178124	9.14%	1.303%
27	7.844	2111	2116	2119	rBV6	2436	2132	0.11%	0.016%
28	7.973	2147	2156	2172	rVB	123773	211137	10.84%	1.544%
29	8.085	2182	2191	2232	rBV	399555	795203	40.81%	5.816%
30	8.648	2364	2366	2368	rBV3	1300	839	0.04%	0.006%
31	8.847	2416	2428	2448	rBV	643743	1070038	54.91%	7.826%
32	9.226	2544	2546	2549	rBV3	1264	749	0.04%	0.005%
33	9.271	2558	2560	2562	rBV3	1351	657	0.03%	0.005%
34	9.355	2585	2586	2588	rBV2	985	414	0.02%	0.003%
35	9.374	2588	2592	2596	rVV7	1788	1763	0.09%	0.013%
36	9.423	2605	2607	2608	rBV2	882	348	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028816.D
 Acq On : 01 Nov 2022 15:14
 Operator : SY/MD
 Sample : N5353-17
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBWX2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	9.744	2705	2707	2709	rBV3	1486	815	0.04%	0.006%
38	9.879	2747	2749	2752	rBV3	1136	664	0.03%	0.005%
39	9.895	2752	2754	2758	rVV5	1461	1151	0.06%	0.008%
40	9.915	2758	2760	2761	rVB2	844	252	0.01%	0.002%
41	10.030	2794	2796	2798	rBV3	1346	576	0.03%	0.004%
42	10.069	2806	2808	2809	rVB2	723	193	0.01%	0.001%
43	10.082	2810	2812	2814	rBV3	789	415	0.02%	0.003%
44	10.095	2814	2816	2822	rVV6	2399	1683	0.09%	0.012%
45	10.156	2831	2835	2838	rBV5	1500	1218	0.06%	0.009%
46	10.207	2838	2851	2874	rBV	437059	705646	36.21%	5.161%
47	10.593	2967	2971	2972	rBV4	1894	1232	0.06%	0.009%
48	10.644	2984	2987	2988	rBV3	1156	718	0.04%	0.005%
49	10.718	3008	3010	3011	rBV2	1440	581	0.03%	0.004%
50	10.763	3018	3024	3026	rBV6	2010	2378	0.12%	0.017%
51	10.988	3090	3094	3095	rBV4	1288	663	0.03%	0.005%
52	11.188	3154	3156	3161	rVB5	1978	1218	0.06%	0.009%
53	11.242	3162	3173	3194	rVV	576963	927431	47.59%	6.783%
54	11.615	3278	3289	3310	rBV	563248	903284	46.36%	6.606%
55	11.805	3343	3348	3350	rBV5	1999	2067	0.11%	0.015%
56	11.947	3390	3392	3393	rBV2	1248	567	0.03%	0.004%
57	12.204	3470	3472	3474	rVB2	721	185	0.01%	0.001%
58	12.217	3474	3476	3477	rBV2	984	498	0.03%	0.004%
59	12.358	3518	3520	3521	rBV2	1861	886	0.05%	0.006%
60	12.432	3541	3543	3545	rBV3	1199	599	0.03%	0.004%
61	12.496	3561	3563	3564	rBV2	834	187	0.01%	0.001%
62	12.506	3564	3566	3569	rBV4	1495	979	0.05%	0.007%
63	12.545	3574	3578	3580	rBV5	1608	1173	0.06%	0.009%
64	12.586	3587	3591	3595	rBV7	2320	2185	0.11%	0.016%
65	12.619	3599	3601	3603	rVB3	1225	515	0.03%	0.004%
66	12.635	3603	3606	3610	rBV7	2268	1608	0.08%	0.012%
67	12.657	3611	3613	3614	rBV2	1035	407	0.02%	0.003%
68	12.860	3674	3676	3680	rBV5	1283	741	0.04%	0.005%
69	12.914	3692	3693	3695	rBV3	829	283	0.01%	0.002%
70	13.062	3735	3739	3741	rBV5	2272	1504	0.08%	0.011%
71	13.191	3777	3779	3782	rVB3	1822	1024	0.05%	0.007%
72	13.213	3782	3786	3788	rBV5	1972	1509	0.08%	0.011%
73	13.246	3792	3796	3800	rVV7	1487	1430	0.07%	0.010%
74	13.612	3908	3910	3917	rBV7	1998	1771	0.09%	0.013%
75	13.699	3934	3937	3941	rBV6	2437	2164	0.11%	0.016%
76	13.892	3995	3997	3999	rBV3	1444	788	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028816.D
Acq On : 01 Nov 2022 15:14
Operator : SY/MD
Sample : N5353-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWX2

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Title : VOC Analysis

77	14.021	4034	4037	4038	rBV3	736	369	0.02%	0.003%
78	14.185	4085	4088	4090	rBV4	1817	784	0.04%	0.006%
79	14.249	4106	4108	4111	rBV3	1333	820	0.04%	0.006%
80	14.509	4186	4189	4193	rBV6	1977	2087	0.11%	0.015%
81	15.258	4421	4422	4423	rBV	1316	460	0.02%	0.003%




Sum of corrected areas: 13673275

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028816.D
Acq On : 01 Nov 2022 15:14
Operator : SY/MD
Sample : N5353-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWX2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028816.D
Acq On : 01 Nov 2022 15:14
Operator : SY/MD
Sample : N5353-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWX2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028816.D
Acq On : 01 Nov 2022 15:14
Operator : SY/MD
Sample : N5353-17
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBWX2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------