

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028820.D
 Acq On : 01 Nov 2022 17:15
 Operator : SY/MD
 Sample : N5354-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YBMP6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

Signal : TIC: VV028820.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.108	16	21	33	rVB	34938	35579	2.12%	0.268%
2	1.204	46	51	58	rBV3	16186	23723	1.41%	0.179%
3	1.304	76	82	100	rVB	238896	275135	16.40%	2.076%
4	1.564	156	163	182	rVB	225570	267663	15.95%	2.020%
5	2.105	322	331	341	rBV	428873	615830	36.70%	4.647%
6	2.159	341	348	373	rVB	198823	325841	19.42%	2.459%
7	2.616	486	490	493	rBV5	1593	1412	0.08%	0.011%
8	2.944	589	592	598	rBV6	2044	2147	0.13%	0.016%
9	2.976	598	602	605	rBV5	2158	1688	0.10%	0.013%
10	3.024	612	617	618	rBV5	1599	1408	0.08%	0.011%
11	3.098	635	640	647	rBV10	2463	4059	0.24%	0.031%
12	3.127	647	649	654	rBV5	1077	1159	0.07%	0.009%
13	3.317	706	708	710	rBV2	844	436	0.03%	0.003%
14	3.352	717	719	722	rBV4	1106	739	0.04%	0.006%
15	3.365	722	723	724	rVV2	1021	213	0.01%	0.002%
16	3.436	743	745	749	rVB5	1806	843	0.05%	0.006%
17	3.461	751	753	754	rBV2	1506	582	0.03%	0.004%
18	3.558	781	783	786	rVB4	1274	604	0.04%	0.005%
19	3.670	817	818	823	rBV5	1359	921	0.05%	0.007%
20	3.706	826	829	830	rBV3	1958	1218	0.07%	0.009%
21	3.783	851	853	855	rBV3	1077	443	0.03%	0.003%
22	3.802	855	859	860	rBV4	1358	826	0.05%	0.006%
23	3.870	872	880	909	rBV	139699	385703	22.99%	2.910%
24	4.288	1007	1010	1012	rBV4	2830	1661	0.10%	0.013%
25	4.342	1013	1027	1053	rVV	259976	648724	38.66%	4.895%
26	4.809	1171	1172	1176	rVB3	2183	1040	0.06%	0.008%
27	4.825	1176	1177	1179	rBV2	1184	448	0.03%	0.003%
28	4.947	1214	1215	1217	rBV2	1119	326	0.02%	0.002%
29	4.969	1220	1222	1223	rBV2	822	262	0.02%	0.002%
30	4.979	1223	1225	1227	rBV2	849	409	0.02%	0.003%
31	5.043	1228	1245	1274	rBV2	635984	1677810	100.00%	12.660%
32	5.612	1410	1422	1447	rBV	497095	1002767	59.77%	7.566%
33	5.844	1491	1494	1495	rBV3	2096	1064	0.06%	0.008%
34	5.911	1504	1515	1536	rBV	263694	520307	31.01%	3.926%
35	6.066	1552	1563	1586	rVB	391189	783864	46.72%	5.915%
36	6.889	1817	1819	1824	rVB5	1423	1188	0.07%	0.009%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
 Data File : VV028820.D
 Acq On : 01 Nov 2022 17:15
 Operator : SY/MD
 Sample : N5354-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YBMP6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
 Title : VOC Analysis

37	6.982	1839	1848	1869	rBV	176752	323797	19.30%	2.443%
38	7.310	1939	1950	1973	rBV	707292	1231142	73.38%	9.289%
39	7.619	2037	2046	2065	rBV	112172	203066	12.10%	1.532%
40	7.837	2111	2114	2115	rBV3	1849	972	0.06%	0.007%
41	8.085	2181	2191	2223	rBV	454573	880810	52.50%	6.646%
42	8.751	2396	2398	2403	rBV6	1616	1828	0.11%	0.014%
43	8.796	2410	2412	2416	rBV5	976	810	0.05%	0.006%
44	8.847	2416	2428	2448	rBV	722460	1189243	70.88%	8.973%
45	9.458	2614	2618	2619	rBV3	1171	811	0.05%	0.006%
46	9.490	2627	2628	2631	rBV3	854	563	0.03%	0.004%
47	9.644	2674	2676	2677	rBV2	863	358	0.02%	0.003%
48	9.705	2693	2695	2697	rVB3	1327	557	0.03%	0.004%
49	9.799	2722	2724	2725	rBV3	1212	495	0.03%	0.004%
50	10.207	2838	2851	2876	rBV	478812	777882	46.36%	5.869%
51	10.509	2944	2945	2947	rBV2	731	358	0.02%	0.003%
52	10.529	2947	2951	2954	rVV6	1568	1344	0.08%	0.010%
53	10.625	2977	2981	2982	rBV3	1455	946	0.06%	0.007%
54	10.696	3002	3003	3008	rVB4	1527	1013	0.06%	0.008%
55	10.834	3044	3046	3049	rBV4	1771	843	0.05%	0.006%
56	10.911	3067	3070	3072	rBV4	1969	1153	0.07%	0.009%
57	10.992	3093	3095	3097	rBV3	2186	1144	0.07%	0.009%
58	11.024	3103	3105	3108	rBV3	1447	1032	0.06%	0.008%
59	11.120	3133	3135	3136	rBV2	1392	483	0.03%	0.004%
60	11.162	3144	3148	3149	rBV4	1488	1005	0.06%	0.008%
61	11.242	3162	3173	3193	rBV	637448	1010133	60.21%	7.622%
62	11.615	3277	3289	3312	rBV	629125	1014387	60.46%	7.654%
63	12.004	3406	3410	3411	rBV4	1506	1007	0.06%	0.008%
64	12.062	3426	3428	3430	rBV3	1589	762	0.05%	0.006%
65	12.159	3456	3458	3463	rVV5	1727	1148	0.07%	0.009%
66	12.178	3463	3464	3466	rVB2	1130	410	0.02%	0.003%
67	12.406	3533	3535	3538	rVB4	1459	600	0.04%	0.005%
68	12.455	3547	3550	3554	rVB6	1764	1557	0.09%	0.012%
69	12.474	3554	3556	3559	rBV4	1662	860	0.05%	0.006%
70	12.493	3559	3562	3563	rBV3	1576	1038	0.06%	0.008%
71	12.619	3599	3601	3604	rBV3	1740	1206	0.07%	0.009%
72	12.638	3604	3607	3611	rBV6	1484	1309	0.08%	0.010%
73	13.037	3729	3731	3734	rVB4	1727	723	0.04%	0.005%
74	13.049	3734	3735	3736	rBV	1386	438	0.03%	0.003%
75	13.098	3745	3750	3753	rBV6	1749	1751	0.10%	0.013%
76	13.503	3873	3876	3879	rBV4	1902	1596	0.10%	0.012%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028820.D
Acq On : 01 Nov 2022 17:15
Operator : SY/MD
Sample : N5354-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YBMP6

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Title : VOC Analysis

77	13.873	3986	3991	3992	rBV5	1194	917	0.05%	0.007%
78	13.918	4002	4005	4010	rBV7	1795	1555	0.09%	0.012%
79	14.384	4148	4150	4152	rBV3	1217	678	0.04%	0.005%
80	14.586	4209	4213	4214	rBV3	2268	1411	0.08%	0.011%




Sum of corrected areas: 13253183

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028820.D
Acq On : 01 Nov 2022 17:15
Operator : SY/MD
Sample : N5354-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YBMP6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028820.D
Acq On : 01 Nov 2022 17:15
Operator : SY/MD
Sample : N5354-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YBMP6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV110122\
Data File : VV028820.D
Acq On : 01 Nov 2022 17:15
Operator : SY/MD
Sample : N5354-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YBMP6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM103122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc